

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

Refine Search

Search Results -

Terms	Documents
catalog\$ and database and order\$ and level\$	11

Database:

- US Pre-Grant Publication Full-Text Database
- US Patents Full-Text Database
- US OCR Full-Text Database
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search: L13

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Monday, June 28, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
side by side			
<i>DB=EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
L13	catalog\$ and database and order\$ and level\$	11	L13
<i>DB=EPAB,JPAB,DWPI; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
L12	catalog\$ and satabase and order\$ and level\$	0	L12
<i>DB=EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
L11	catalog\$ and dictionary and order\$ and level\$	1	L11
L10	(conform\$ same (degree or level\$)) and (license same (degree or level\$)) and order\$	0	L10
L9	(conform\$ same (degree or level\$)) and (license with (degree or level\$)) and order\$	0	L9
<i>DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
L8	(conform\$ same (degree or level\$)) and (license with (degree or level\$)) and order\$	6	L8
<i>DB=EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			

<u>L7</u>	(conform\$ with (degree or level\$)) and (license with (degree or level\$)) and order\$	0	<u>L7</u>
<u>L6</u>	(conform\$ with (degree or level\$)) and (license with level\$) and order\$	0	<u>L6</u>
<i>DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
<u>L5</u>	(conform\$ with (degree or level\$)) and (license with level\$) and order\$	1	<u>L5</u>
<u>L4</u>	(conform\$ same level) and (license with level) and order\$	3	<u>L4</u>
<i>DB=EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
<u>L3</u>	(conform\$ with level) and (license with level) and order\$	0	<u>L3</u>
<i>DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
<u>L2</u>	(conform\$ with level) and (license with level) and order\$	1	<u>L2</u>
<u>L1</u>	6363363.pn. or 6026379.pn.	2	<u>L1</u>

END OF SEARCH HISTORY

First Hit Fwd Refs

End of Result Set



Generate Collection

Print

L5: Entry 1 of 1

File: USPT

Mar 12, 2002

US-PAT-NO: 6356937

DOCUMENT-IDENTIFIER: US 6356937 B1

TITLE: Interoperable full-featured web-based and client-side e-mail system

DATE-ISSUED: March 12, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Montville; David	Chicago	IL	60657	
Montville; Adam	Chicago	IL	60657	

APPL-NO: 09/ 347361 [PALM]

DATE FILED: July 6, 1999

INT-CL: [07] G06 F 13/00

US-CL-ISSUED: 709/206; 709/219, 709/329

US-CL-CURRENT: 709/206; 709/219, 719/329

FIELD-OF-SEARCH: 709/201, 709/202, 709/203, 709/204, 709/205, 709/206, 709/217, 709/219, 709/223, 709/225, 709/227, 709/328, 709/329

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected

Search ALL

Clear

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<input type="checkbox"/> 5638446	June 1997	Rubin	380/25
<input type="checkbox"/> 5809242	September 1998	Shaw et al.	709/217
<input type="checkbox"/> 5850442	December 1998	Muftic	
<input type="checkbox"/> 5877759	March 1999	Bauer	345/339
<input type="checkbox"/> 5961602	October 1999	Thompson et al.	709/229
<input type="checkbox"/> 5974446	October 1999	Sonnenreich et al.	709/204
<input type="checkbox"/> 6096096	August 2000	Murphy et al.	717/11
<input type="checkbox"/> 6108687	August 2000	Craig	709/203

OTHER PUBLICATIONS

Screen Print of <ziplip.com>, "The ZipLip Solution", dated Jun. 2, 1999, 9 pages (numbered).

Screen Print of <hushmail.com>, "hushmail", dated May 28, 1999, 7 pages (hand numbered).

Microsoft, "Planning and Deploying Outlook Web Access", copyright 1999, 23 pages, hand numbered.

ART-UNIT: 2154

PRIMARY-EXAMINER: Vu; Viet D.

ATTY-AGENT-FIRM: Chapman and Cutler

ABSTRACT:

A full-featured e-mail system is used in both Internet-based and client-side (personal computer) forms. In each form, either basic e-mail service is provided to system subscribers or a secure, premium service with authentication, concealment, integrity, and non-repudiation functions for electronic messaging services is provided. In either form and at either level of service, subscribers can work off-line on their own computers with proprietary software loaded or, alternatively, on-line on any computer with an Internet connection. The system is interoperable, to preserve security, with all S/MIME compliant software applications, even for those users not subscribing to a service implementing the disclosed system. Digital certificates can be provided as a security service of the disclosed system, rather than requiring a second source with separate verification procedures. As additional optional features, the subscriber can control compression of outgoing attachment files, rather than having that function absent or operate in some automatic way. Decompression of such file attachments when received occurs automatically for subscribers, without having to invoke a different program or system. Interactive help features, book hierarchy uniformity for messages, accounts, certificates, virus warnings, and dual naming capability are also provided and available to subscribers in both the Web-based and the client-side application forms disclosed herein, and in both basic and premium service levels.

10 Claims, 14 Drawing figures

First Hit Fwd Refs

End of Result Set

☐ **Generate Collection** **Print**

L5: Entry 1 of 1

File: USPT

Mar 12, 2002

DOCUMENT-IDENTIFIER: US 6356937 B1

TITLE: Interoperable full-featured web-based and client-side e-mail system

Detailed Description Text (16):

In order to create universal appeal, the e-mail application provides two implementation forms and two levels of service. The first form is a Web-based implementation that uses distributed computing technology to provide e-mail service without downloading by the end user. The second implementation form is an application that is loaded on or downloaded to the subscriber's personal machine and run locally. The ability to offer the two complimentary forms for implementation is paramount to EMC's goal of providing robust e-mail services. The Web-based form permits subscribers who do not have their own computer, who travel, or who otherwise use different computers to access and use these e-mail services. The client-side application is used by subscribers who do not want to be online for long periods for composing and reading messages. The ability of a single subscriber to use either of these implementations alternatively, on the same account, provides universal access to versatile e-mail services.

Detailed Description Text (17):

The Web-based form of the invention uses distributed computing technology to provide full-featured e-mail services to an end-user subscriber from any suitable computer that is connected to the Internet and has an Internet browser. Currently, full-featured e-mail with privacy enhancements is available only in those e-mail applications that are run on the end-user's local machine. The drawback of this approach is that the user needs to be at that machine in order to use the e-mail application, and thus have all the expected e-mail features and also secure communications. The Web-based form of this invention provides secure communication to or from any place the subscriber is located.

Detailed Description Text (61):

The second, and higher, class of certificate guarantees authentication of the user's true identity via physical identification. This means that the user applying for a level-two certificate needs to be identified with proper credentials (i.e., a passport or driver's license) by the CA or a licensed signatory. A particularly easy method of achieving this goal would be to have the user download and print a legally binding document (the document can contain a digital watermark to protect the integrity of the document) that the user can sign in the presence of a notary public or other official. The document is then physically sent (by courier or mail) to the issuing CA for confirmation. The approved applicant would receive the issued certificate in one of two ways. The certificate would either be distributed via password authenticated secure Web download, or it could be sent via certified mail or by some other trusted courier.

Detailed Description Text (79):

KCGS: this is the most critical server. This server must conform to level four security levels as specified in FIPS PUB 140-1. Furthermore, each of the two required machines should contain dual processors and be quad processor capable. There are periods when these machines are required to generate much mathematical

data in short amounts of time; thus the processor speed is of the utmost importance. Storage space, however, is not a large concern. Sufficient storage is necessary to store any cryptographic files that are necessary for generating digital certificates.

Detailed Description Text (96):

Each implementation requires different handling of functionality in order to emulate these features; however, the differences between the overall look and feel of each implementation should go largely unnoticed by the subscriber. The e-mail application is designed to implement S/MIME messaging utilizing X.509 certificates.

Detailed Description Text (117):

This application is designed with two general environments in mind. The first environment is that of an Internet browser, such as Netscape Navigator. In this sense, the application is to run through the browser in order to get to the user. The modular design of the application provides for simple transition between Web-based application usage and the second environment.

Detailed Description Text (149):

3.5 Order Messages in Particular Folder

Detailed Description Text (207):

The user can select the options that he/she prefers. If a user doesn't wish to use the Interactive Help Panel, that option can be disabled by checking the checkbox "Interactive Help Panel Settings" heading. In order to restore the Interactive Help Panel to the default functionality, the user would click the "Reset Interactive Help Panel" button. The user also has the availability to enable/disable encryption, digital signatures, attachment compression, signature file appending, and outgoing message options. When the user is finished selecting and/or deselecting the available options, he/she may exit the preferences display by selecting the "Exit Preferences" button. When this button is pressed, the application moves to the prior state of the application. That is, if the user was in a different state, such as composition, that state would return to the display, assuming the exact information that was there when the user entered the preferences state. It is important to note that the selection of certain options from the preferences display does not affect the previous state of the application. Thus, if the user was composing a message before entering the preferences state, and then changed the encryption settings, these changes would be noticed, not on the current composition, but on the next composition.

Detailed Description Text (212):

The user adds a message filter by entering a filter name, the constraint field of the filter, what the field should contain in order to be filtered, and a folder in which to place the messages meeting the requirements of the filter. The constraint fields are those fields found in the header of an e-mail message, such as "to", "from", and "cc". The user can select any number of containments for the field, the most common being either part or all of an e-mail address. The pull down menu lists the current folders in the Message Book, and contains a selection that allows the user to create a new folder from within this display. This display cannot be entered if the application is currently running a critical function.

Detailed Description Text (228):

The Attach File button, when clicked (on the tool bar in the frame), brings up a dialog box (the only separate window used by the application) in order to allow the user to select a file that he/she wishes to attach. The file can be of any type and size, if the user has the proper permissions to access and download the file. The dialog box that this option displays is a familiar Windows file dialog box. It supplies a directory tree, a name field, a pull down menu of available disk drives, etc. When a file is attached, it is placed into a buffer and waits for the send or

"Save as Draft" button to be selected for proper handling. When the user has completed selection of the desired attachment, the file dialog exits and the user may continue editing the composition. This option is not operational if the application is currently running a critical process.

Detailed Description Text (233):

When the user selects the "Retrieve Messages" button from the second line of the tool bar (FIGS. 5-14, second line of tool bar), the application gets messages from the user's various e-mail accounts. The first account to be checked is the account found on the EMC server. If the user has other accounts listed in his or her e-mail account book, these will be checked in the order in which the user entered them. Note that only default accounts will be checked automatically. Any other accounts must be checked for messages manually. For each account that is checked, the message filter will be invoked. The state of the application remains the same except for the second window, which changes to display the message book.

Hit List

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs
Generate OACS				

Search Results - Record(s) 1 through 6 of 6 returned.

☐ 1. Document ID: US 6697944 B1

Using default format because multiple data bases are involved.

L8: Entry 1 of 6

File: USPT

Feb 24, 2004

US-PAT-NO: 6697944

DOCUMENT-IDENTIFIER: US 6697944 B1

TITLE: Digital content distribution, transmission and protection system and method, and portable device for use therewith

DATE-ISSUED: February 24, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Jones; Thomas C.	Redmond	WA		
Brackenridge; Billy	Seattle	WA		

US-CL-CURRENT: 713/168; 705/1, 705/50, 705/56, 705/57, 713/2

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	--------

☐ 2. Document ID: US 6640145 B2

L8: Entry 2 of 6

File: USPT

Oct 28, 2003

US-PAT-NO: 6640145

DOCUMENT-IDENTIFIER: US 6640145 B2

TITLE: Media recording device with packet data interface

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	--------

☐ 3. Document ID: US 6400996 B1

L8: Entry 3 of 6

File: USPT

Jun 4, 2002

US-PAT-NO: 6400996

DOCUMENT-IDENTIFIER: US 6400996 B1

TITLE: Adaptive pattern recognition based control system and method

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

☐ 4. Document ID: US 6356937 B1

L8: Entry 4 of 6

File: USPT

Mar 12, 2002

US-PAT-NO: 6356937

DOCUMENT-IDENTIFIER: US 6356937 B1

TITLE: Interoperable full-featured web-based and client-side e-mail system

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

☐ 5. Document ID: US 6253588 B1

L8: Entry 5 of 6

File: USPT

Jul 3, 2001

US-PAT-NO: 6253588

DOCUMENT-IDENTIFIER: US 6253588 B1

TITLE: Quick plastic forming of aluminum alloy sheet metal

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

☐ 6. Document ID: US 5081685 A

L8: Entry 6 of 6

File: USPT

Jan 14, 1992

US-PAT-NO: 5081685

DOCUMENT-IDENTIFIER: US 5081685 A

TITLE: Apparatus and method for reading a license plate

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

Clear

Generate Collection

Print

Fwd Refs

Bkwd Refs

Generate OACS

Terms

Documents

(conform\$ same (degree or level\$)) and (license with (degree or level\$)) and order\$

6

Display Format: -

Change Format

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)

Hit List

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs
Generate OACS				

Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: NN8901252

Using default format because multiple data bases are involved.

L11: Entry 1 of 1

File: TDBD

Jan 1, 1989

TDB-ACC-NO: NN8901252

DISCLOSURE TITLE: Paging of Display Screen Images Using Footswitch and Digital Interface

PUBLICATION-DATA:

IBM Technical Disclosure Bulletin, January 1989, US

VOLUME NUMBER: 31

ISSUE NUMBER: 8

PAGE NUMBER: 252 - 254

SECURITY: Use, copying and distribution of this data is subject to the restrictions in the Agreement For IBM TDB Database and Related Computer Databases. Unpublished - all rights reserved under the Copyright Laws of the United States. Contains confidential commercial information of IBM exempt from FOIA disclosure per 5 U.S.C. 552(b)(4) and protected under the Trade Secrets Act, 18 U.S.C. 1905.

COPYRIGHT STATEMENT: The text of this article is Copyrighted (c) IBM Corporation 1989. All rights reserved.

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs	Generate OACS
-------	---------------------	-------	----------	-----------	---------------

Terms	Documents
catalog\$ and dictionary and order\$ and level\$	1

Display Format: [Previous Page](#)[Next Page](#)[Go to Doc#](#)

Hit List

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs
Generate OACS				

Search Results - Record(s) 1 through 10 of 11 returned.

☐ 1. Document ID: NNRD445184

Using default format because multiple data bases are involved.

L13: Entry 1 of 11

File: TDBD

May 1, 2001

TDB-ACC-NO: NNRD445184

DISCLOSURE TITLE: DON and Level field agents for RMS Resource Documents

PUBLICATION-DATA:

IBM technical Disclosure Bulletin, May 2001, UK

ISSUE NUMBER: 445

PAGE NUMBER: 888

SECURITY: Use, copying and distribution of this data is subject to the restrictions in the Agreement For IBM TDB Database and Related Computer Databases. Unpublished - all rights reserved under the Copyright Laws of the United States. Contains confidential commercial information of IBM exempt from FOIA disclosure per 5 U.S.C. 552(b)(4) and protected under the Trade Secrets Act, 18 U.S.C. 1905.

COPYRIGHT STATEMENT: The text of this article is Copyrighted (c) IBM Corporation 2001. All rights reserved.

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw Ds
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

☐ 2. Document ID: NNRD439138

L13: Entry 2 of 11

File: TDBD

Nov 1, 2000

TDB-ACC-NO: NNRD439138

DISCLOSURE TITLE: A Structured Methodology for Creating Product Information Taxonomies

SECURITY: Use, copying and distribution of this data is subject to the restrictions in the Agreement For IBM TDB Database and Related Computer Databases. Unpublished - all rights reserved under the Copyright Laws of the United States. Contains confidential commercial information of IBM exempt from FOIA disclosure per 5 U.S.C. 552(b)(4) and protected under the Trade Secrets Act, 18 U.S.C. 1905.

COPYRIGHT STATEMENT: The text of this article is Copyrighted (c) IBM Corporation 2000. All rights reserved.

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw Ds
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

☐ 3. Document ID: NNRD431191

L13: Entry 3 of 11

File: TDBD

Mar 1, 2000

TDB-ACC-NO: NNRD431191

DISCLOSURE TITLE: Multi-search of video segments indexed by time-aligned annotations of video content

SECURITY: Use, copying and distribution of this data is subject to the restrictions in the Agreement For IBM TDB Database and Related Computer Databases. Unpublished - all rights reserved under the Copyright Laws of the United States. Contains confidential commercial information of IBM exempt from FOIA disclosure per 5 U.S.C. 552(b)(4) and protected under the Trade Secrets Act, 18 U.S.C. 1905.

COPYRIGHT STATEMENT: The text of this article is Copyrighted (c) IBM Corporation 2000. All rights reserved.

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Drawn De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 4. Document ID: NA920980

L13: Entry 4 of 11

File: TDBD

Sep 1, 1992

TDB-ACC-NO: NA920980

DISCLOSURE TITLE: Support of Column Privileges in SQL.

SECURITY: Use, copying and distribution of this data is subject to the restrictions in the Agreement For IBM TDB Database and Related Computer Databases. Unpublished - all rights reserved under the Copyright Laws of the United States. Contains confidential commercial information of IBM exempt from FOIA disclosure per 5 U.S.C. 552(b)(4) and protected under the Trade Secrets Act, 18 U.S.C. 1905.

COPYRIGHT STATEMENT: The text of this article is Copyrighted (c) IBM Corporation 1992. All rights reserved.

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Drawn De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 5. Document ID: NN910869

L13: Entry 5 of 11

File: TDBD

Aug 1, 1991

TDB-ACC-NO: NN910869

DISCLOSURE TITLE: Recovery of Data Pages After Partial Page Writes.

SECURITY: Use, copying and distribution of this data is subject to the restrictions in the Agreement For IBM TDB Database and Related Computer Databases. Unpublished - all rights reserved under the Copyright Laws of the United States. Contains confidential commercial information of IBM exempt from FOIA disclosure per 5 U.S.C. 552(b)(4) and protected under the Trade Secrets Act, 18 U.S.C. 1905.

COPYRIGHT STATEMENT: The text of this article is Copyrighted (c) IBM Corporation 1991. All rights reserved.

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Drawn De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 6. Document ID: NN9101183

L13: Entry 6 of 11

File: TDBD

Jan 1, 1991

TDB-ACC-NO: NN9101183

DISCLOSURE TITLE: Process-Driven Logon And Logoff As Opposed to User-Driven.

SECURITY: Use, copying and distribution of this data is subject to the restrictions in the Agreement For IBM TDB Database and Related Computer Databases. Unpublished - all rights reserved under the Copyright Laws of the United States. Contains confidential commercial information of IBM exempt from FOIA disclosure per 5 U.S.C. 552(b)(4) and protected under the Trade Secrets Act, 18 U.S.C. 1905.

COPYRIGHT STATEMENT: The text of this article is Copyrighted (c) IBM Corporation 1991. All rights reserved.

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Drawn De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 7. Document ID: NA8911466

L13: Entry 7 of 11

File: TDBD

Nov 1, 1989

TDB-ACC-NO: NA8911466

DISCLOSURE TITLE: Automated Problem Reporting

SECURITY: Use, copying and distribution of this data is subject to the restrictions in the Agreement For IBM TDB Database and Related Computer Databases. Unpublished - all rights reserved under the Copyright Laws of the United States. Contains confidential commercial information of IBM exempt from FOIA disclosure per 5 U.S.C. 552(b)(4) and protected under the Trade Secrets Act, 18 U.S.C. 1905.

COPYRIGHT STATEMENT: The text of this article is Copyrighted (c) IBM Corporation 1989. All rights reserved.

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Drawn De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 8. Document ID: WO 2003016546 A1

L13: Entry 8 of 11

File: DWPI

Feb 27, 2003

DERWENT-ACC-NO: 2003-268337

DERWENT-WEEK: 200326

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Amplifying genetic material for detecting the presence of pathogens in a sample and in recording and cataloging unidentified organisms, by amplifying genetic material using single primer sequence

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Drawn De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 9. Document ID: WO 200104852 A1, AU 200059217 A

L13: Entry 9 of 11

File: DWPI

Jan 18, 2001

DERWENT-ACC-NO: 2001-147226

DERWENT-WEEK: 200127

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Purchase total calculation for calculating discounted prices for products sold at retail, involves determining if calculated initial purchase total is equal to preset threshold, to calculate reduced purchase total

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Drawn De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 10. Document ID: WO 200023929 A1, AU 9964336 A, EP 1040440 A1

L13: Entry 10 of 11

File: DWPI

Apr 27, 2000

DERWENT-ACC-NO: 2000-364951

DERWENT-WEEK: 200031

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Internet based electronic commerce business transaction processor, performs billing for retail customer for ordered product authorized for shipment

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Drawn De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs	Generate OACS
-------	---------------------	-------	----------	-----------	---------------

Terms	Documents
catalog\$ and database and order\$ and level\$	11

Display Format: [Previous Page](#)[Next Page](#)[Go to Doc#](#)

First Hit☐

L13: Entry 8 of 11

File: DWPI

Feb 27, 2003

DERWENT-ACC-NO: 2003-268337

DERWENT-WEEK: 200326

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Amplifying genetic material for detecting the presence of pathogens in a sample and in recording and cataloging unidentified organisms, by amplifying genetic material using single primer sequence

INVENTOR: BURGOYNE, L A

PATENT-ASSIGNEE: FLINDERS TECHNOLOGIES PTY LTD (FLINN), KOHN K I (KOHNI)

PRIORITY-DATA: 2001US-313912P (August 21, 2001)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<input type="checkbox"/> <u>WO 2003016546 A1</u>	February 27, 2003	E	046	C12P019/34

DESIGNATED-STATES: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI SK SL TJ TM TN TR TT TZ UA UG US UZ VN YU ZA ZM ZW AT BE BG CH CY CZ DE DK EA EE ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SK SL SZ TR TZ UG ZM ZW

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
WO2003016546A1	August 21, 2002	2002WO-US26670	

INT-CL (IPC): C07 H 21/04; C12 P 19/34; C12 Q 1/68

ABSTRACTED-PUB-NO: WO2003016546A

BASIC-ABSTRACT:

NOVELTY - Amplifying (M) genetic material, comprising amplifying the genetic material using a single primer sequence, is new.

DETAILED DESCRIPTION - INDEPENDENT CLAIMS are also included for:

(1) a detector for detecting pathogens in a sample, comprises a single primer sequence for use in an amplification reaction, where the primer sequence amplifies pathogen genetic material, thus detecting pathogens in a sample;

(2) a kit for performing (M), comprises a single primer sequence, and a device for

amplifying genetic material;

(3) a device for performing (M), comprises a robot for performing (M), and DNA separating and observing units functionally connected to the robot, therefore the robot runs the DNA separating and observing units; and

(4) a computer program for creating primers for use in (M).

USE - (M) is useful for detecting the presence of pathogens in a sample, by amplifying genetic material for a pathogen in the sample using a single primer in an amplification process. (M) is useful in recording and cataloging unidentified organisms (claimed).

(M) is useful for amplifying RNA and/or DNA in a sample while simultaneously producing molecular clones that also constitute a profile of that sample, for detecting illness and the presence of bacteria or other pathogens, for agricultural purposes such as testing for bacteria in soil samples or other similar purposes, for detecting infectious bacterial and viral diseases, for biologically profiling soils from minute samples of soil, to amplify nucleic acid from any parasite in the plasma or serum, to detect known or unknown virions, either RNA or DNA, with equal speed and ease, to detect bacteria, and in systems that handle the acquisition and analysis of complex data in databases that associate clinical records with molecular data.

(M) is useful in conjunction with a material that can store genetic material e.g., processing for RNA occurring on the storage media, low specificity, high-gain amplification using very few primers and, in the preferred and demonstrate version, long-range PCR, for optimizing the degree of specificity for general use from the choice of amplification conditions, generalized to the choice of the contours of an amplification-conditions ramp, and final data analysis by nucleic acid arrays or on-line sequencing technology. (M) is useful in open-ended accumulation of sequence libraries for use on chip-style devices, for measuring and detecting trace levels of nucleic acid, to objectively record and catalogue large numbers of previously unidentified organisms as gel patterns for future reference, for typing complex mixtures of organisms, in microbial profiling, in forensics, and in quality control, especially in commercial DNA polymerase preparations.

ADVANTAGE - (M) has extreme resistance towards the formation of primer-dimers and primer concatenates, and does not require use of a ligase nor does it require significant sequence specificity from the primers. In (M), single primers are used instead of arrays of single primers as are required by the conventional methods. The use of single primers causes the species being amplified to have complementary termini. These termini normally interfere with amplification in both a size-dependent way such that large inserts are favored and in an interprimer sequence-dependent way such that sequences that fold to keep the ends apart are favored. (M) does not require large amounts of nucleic acid, as are usually required by two-primer amplifications, in order for amplification to take place, and is highly selective in the amplification of sequences. (M) preferentially amplifies sample sequences from more complex genomes than from very simple genomes because the more complex a genome, the higher the probability of unusually amplifiable interprimer sequences that are contained in it. The method stops the selectivity of the PCR from being dominated by the homology of the primers to the template and instead makes selectivity dependent on the properties of the amplified section between the primers. (M) measure levels of nucleic acids more sensitively than current technology, without respect to a specific organism.

ABSTRACTED-PUB-NO: WO2003016546A

EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.0/6

DERWENT-CLASS: B04 D16 T01

CPI-CODES: B04-E01; B04-E05; B04-F10; B04-F11; B11-C07B3; B11-C08A; B11-C08D1; B11-C08E5; B12-K04A4; B12-K04E; D05-H04; D05-H06A; D05-H09; D05-H12D1; D05-H18B;

EPI-CODES: T01-J06; T01-S03;

First Hit

Generate Collection

Print

L13: Entry 9 of 11

File: DWPI

Jan 18, 2001

DERWENT-ACC-NO: 2001-147226

DERWENT-WEEK: 200127

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Purchase total calculation for calculating discounted prices for products sold at retail, involves determining if calculated initial purchase total is equal to preset threshold, to calculate reduced purchase total

INVENTOR: MIK, M; TEDESCO, D E ; VAN LUCHENE, A S ; WALKER, J S

PATENT-ASSIGNEE: WALKER DIGITAL LLC (WALKN)

PRIORITY-DATA: 1999US-0350875 (July 9, 1999)

Search Selected

Search ALL

Clear

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<input type="checkbox"/> <u>WO 200104852 A1</u>	January 18, 2001	E	097	G07G001/14
<input type="checkbox"/> <u>AU 200059217 A</u>	January 30, 2001		000	G07G001/14

DESIGNATED-STATES: AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CR CU CZ DE DK DM DZ EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG US UZ VN YU ZA ZW AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW MZ NL OA PT SD SE SL SZ TZ UG ZW

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
WO 200104852A1	July 7, 2000	2000WO-US18638	
AU 200059217A	July 7, 2000	2000AU-0059217	
AU 200059217A		WO 200104852	Based on

INT-CL (IPC): G06 F 17/60; G07 G 1/14

ABSTRACTED-PUB-NO: WO 200104852A

BASIC-ABSTRACT:

NOVELTY - The method involves determining whether the initial purchase total for a transaction is equal to a preset threshold value. If so, a reduced purchase total for the transaction is calculated based on respective second prices for each of the products to be purchased. The second price is calculated based on the first price, cost associated with corresponding product, and minimum profit amount.

DETAILED DESCRIPTION - The method involves receiving a number of product identifiers each representing a respective product to be purchased. An initial purchase total for the transaction is calculated based on the first prices for each of the products to be purchased. If the initial purchase total is at least equal to a predetermined threshold purchase total, a reduced purchase total is calculated based on respective second prices for the products. At least one of the respective second prices is lower than corresponding first price for the product. The first and second prices are retrieved from a database. INDEPENDENT CLAIMS are also included for the following:

- (a) Point-of-sale terminal controlling method;
- (b) Shopping website operating method;
- (c) Web server computer;
- (d) Operating method of catalog order
- (e) Purchase total calculation apparatus;
- (f) Data storage device;
- (g) Purchase total calculation program;
- (h) Data processing apparatus;
- (i) Data accessing method

USE - To calculate discounted prices for products sold at retail in supermarkets, drug stores, quick service restaurants, retail stores.

ADVANTAGE - Permits the seller to predetermine and store one or more levels of discount prices on a product-by-product basis. Thereby preserves satisfactory profit margins. The retailer is permitted to use a flexible discounting plan to promote sales of certain products, such as store brand products, perishable products, or high margin products.

DESCRIPTION OF DRAWING(S) - The figure shows a portion of the database and an illustrative display that indicates the various conditions of a condition database.

ABSTRACTED-PUB-NO: WO 200104852A

EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.7/26

DERWENT-CLASS: T01 T05

EPI-CODES: T01-H07C5; T01-J05A1; T01-J05B4P; T01-J11C1; T05-L01A;

First Hit

☐ Generate Collection

L13: Entry 10 of 11

File: DWPI

Apr 27, 2000

DERWENT-ACC-NO: 2000-364951

DERWENT-WEEK: 200031

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Internet based electronic commerce business transaction processor, performs billing for retail customer for ordered product authorized for shipment

INVENTOR: ALVIN, R S

PATENT-ASSIGNEE: HARDWARESTREET.COM INC (HARDN)

PRIORITY-DATA: 1999US-0343547 (June 30, 1999), 1998US-104829P (October 19, 1998)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
<input type="checkbox"/> <u>WO 200023929 A1</u>	April 27, 2000	E	041	G06F017/60
<input type="checkbox"/> <u>AU 9964336 A</u>	May 8, 2000		000	G06F017/60
<input type="checkbox"/> <u>EP 1040440 A1</u>	October 4, 2000	E	000	G06F017/60

DESIGNATED-STATES: AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB
GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN MW
MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZW AT BE CH CY DE
DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW NL OA PT SD SE SL SZ TZ UG ZW AL AT
BE CH CY DE DK ES FI FR GB GR IE IT LI LT LU LV MC MK NL PT RO SE SI

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
WO 200023929A1	October 19, 1999	1999WO-US24453	
AU 9964336A	October 19, 1999	1999AU-0064336	
AU 9964336A		WO 200023929	Based on
EP 1040440A1	October 19, 1999	1999EP-0952033	
EP 1040440A1	October 19, 1999	1999WO-US24453	
EP 1040440A1		WO 200023929	Based on

INT-CL (IPC): G06 F 17/60

ABSTRACTED-PUB-NO: WO 200023929A

BASIC-ABSTRACT:

NOVELTY - A distribution selection processor dynamically allocates a particular order to one of distributor's handing a particular product involved in purchase

order, based on specific selection criteria, and also authorizes selected distributor to ship ordered product to retail customer. A payment processor (40) performs billing for retail customer for ordered product authorized for shipment.

DETAILED DESCRIPTION - Catalog-type product data for selected products, are stored in a database (70). A communication interface selectively permits one of retail customers to selectively access the product data stored in the database. An electronic_order form is provided for retail customer to place a purchase order of the selected product. The order processor processes the placed purchase orders. The distribution selection processor dynamically allocating a particular product to distributors, has a comparator which compares like types of product data for distributors handling-like product, to determine an optimum distributor selection based on selection criteria including product price, availability, shipping date, shipping location or discount data. An INDEPENDENT CLAIM is also included for Internet based electronic commerce business transaction processing method.

USE - For processing electronic commerce business transactions e.g. for computer related products, etc in Internet.

ADVANTAGE - The modular design of business transaction processor allows the distribution of processing load among several parallel service, thereby enabling faster processing of transactions and providing expandability for future growth. Interacts with multiple distributors, thereby enabling larger selection of products with higher availability and aggressively competitive pricing. Utilizes multilevel fraud checking system incorporating propriety as well as commercially available fraud checking system, thereby enabling high level of risk management. The business transaction processor is fully automated, including automatic generation of electronic catalog, competitive pricing engine according to flexible rule-based algorithms, and automatic feedback to the customer.

DESCRIPTION OF DRAWING(S) - The figure shows block diagram of over all Internet based e-mail business transaction processing system.

Payment processor(70) Database 40

ABSTRACTED-PUB-NO: WO 200023929A

EQUIVALENT-ABSTRACTS:

CHOSEN-DRAWING: Dwg.1/6

DERWENT-CLASS: T01

EPI-CODES: T01-H07C5E; T01-J05A1; T01-J05B4P;

Hit List

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs
Generate OACS				

Search Results - Record(s) 11 through 11 of 11 returned.

☐ 11. Document ID: WO 200023928 A2, AU 200011244 A, EP 1040441 A2

Using default format because multiple data bases are involved.

L13: Entry 11 of 11

File: DWPI

Apr 27, 2000

DERWENT-ACC-NO: 2000-364950

DERWENT-WEEK: 200031

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Internet-based electronic commerce business transaction processor performs billing for retail customer for ordered product, when selected supplier is authorized to ship product to customer

INVENTOR: ALVIN, R S

PRIORITY-DATA: 1999US-0345383 (June 30, 1999), 1998US-104830P (October 19, 1998)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
WO 200023928 A2	April 27, 2000	E	040	G06F017/60
AU 200011244 A	May 8, 2000		000	G06F017/60
EP 1040441 A2	October 4, 2000	E	000	G06F017/60

INT-CL (IPC): G06 F 17/60

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	--------

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs	Generate OACS
-------	---------------------	-------	----------	-----------	---------------

Terms	Documents
catalog\$ and database and order\$ and level\$	11

Display Format: [Previous Page](#)[Next Page](#)[Go to Doc#](#)

Refine Search

Search Results -

Terms	Documents
L26 and (licens\$ with level\$)	3

Database:

- US Pre-Grant Publication Full-Text Database
- US Patents Full-Text Database**
- US OCR Full-Text Database
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search: L28

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Monday, June 28, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
<i>DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
<u>L28</u>	L26 and (licens\$ with level\$)	3	<u>L28</u>
<u>L27</u>	L23 and (licens\$ with level\$)	19	<u>L27</u>
<u>L26</u>	L25 and (catalog\$ or dictionary)	14	<u>L26</u>
<u>L25</u>	L24 not I18	14	<u>L25</u>
<u>L24</u>	L23 and I2	14	<u>L24</u>
<u>L23</u>	((license or certificat\$) adj3 level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (level or degree)) and @ad<=20000725	75	<u>L23</u>
<i>DB=EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
<u>L22</u>	((license or certificat\$) adj3 level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (level or degree)) and @pd<=20000725	0	<u>L22</u>
<u>L21</u>	((license or certificat\$) with level\$) and (catalog\$ or dictionary) and @pd<=20000725	0	<u>L21</u>
<u>L20</u>	((license or certificat\$) adj2 level\$) and (catalog\$ or dictionary) and @pd<=20000725	0	<u>L20</u>

<u>L19</u>	((license or certificat\$) adj2 level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @pd<=20000725	0	<u>L19</u>
	<i>DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR</i>		
<u>L18</u>	((license or certificat\$) adj2 level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @pd<=20000725	5	<u>L18</u>
<u>L17</u>	L16 and I2	0	<u>L17</u>
<u>L16</u>	((license or certificat\$) adj2 level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @ad<=20000725	9	<u>L16</u>
<u>L15</u>	L10 and (matsushita w2 industrial)	1	<u>L15</u>
<u>L14</u>	L10 and (matsushita adj2 industrial)	1	<u>L14</u>
<u>L13</u>	L10 and (matsushita 2n industrial)	1	<u>L13</u>
<u>L12</u>	L10 and (matsushita 2a industrial)	1	<u>L12</u>
<u>L11</u>	L10 and (matsushita 2w industrial)	1	<u>L11</u>
<u>L10</u>	6334115.pn.	1	<u>L10</u>
<u>L9</u>	L2 and I6	243	<u>L9</u>
<u>L8</u>	L2 and I7	243	<u>L8</u>
<u>L7</u>	((license or certificat\$) (w2) level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @ad<=20000725	10273	<u>L7</u>
<u>L6</u>	((license or certificat\$) (2w) level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @ad<=20000725	10242	<u>L6</u>
<u>L5</u>	((license or certificat\$) (2a) level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @ad<=20000725	10642	<u>L5</u>
<u>L4</u>	L3 and (conform\$ with (catalog\$ or dictionar\$))	2	<u>L4</u>
<u>L3</u>	L2 and I1	243	<u>L3</u>
<u>L2</u>	705/22,28,29,26,27.ccls.	1697	<u>L2</u>
<u>L1</u>	((license or certificat\$) (2n) level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @ad<=20000725	10261	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
((license or certificat\$) with level\$) and (catalog\$ or dictionar\$) and @pd<=20000725	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L21

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Monday, June 28, 2004 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>		
<u>L21</u>	((license or certificat\$) with level\$) and (catalog\$ or dictionar\$) and @pd<=20000725	0	<u>L21</u>
<u>L20</u>	((license or certificat\$) adj2 level\$) and (catalog\$ or dictionar\$) and @pd<=20000725	0	<u>L20</u>
<u>L19</u>	((license or certificat\$) adj2 level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @pd<=20000725 ✓	0	<u>L19</u>
	<i>DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR</i>		
<u>L18</u>	((license or certificat\$) adj2 level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @pd<=20000725	5	<u>L18</u>
<u>L17</u>	L16 and I2	0	<u>L17</u>
<u>L16</u>	((license or certificat\$) adj2 level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @ad<=20000725	9	<u>L16</u>
L15	L10 and (matsushita w2 industrial)	1	<u>L15</u>
L14	L10 and (matsushita adj2 industrial)	1	<u>L14</u>

L13 L10 and (matsushita 2n industrial)	1	<u>L13</u>
L12 L10 and (matsushita 2a industrial)	1	<u>L12</u>
L11 L10 and (matsushita 2w industrial)	1	<u>L11</u>
L10 6334115.pn.	1	<u>L10</u>
<u>L9</u> L2 and I6	243	<u>L9</u>
<u>L8</u> L2 and I7	243	<u>L8</u>
<u>L7</u> ((license or certificat\$) (w2) level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @ad<=20000725	10273	<u>L7</u>
<u>L6</u> ((license or certificat\$) (2w) level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @ad<=20000725	10242	<u>L6</u>
<u>L5</u> ((license or certificat\$) (2a) level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @ad<=20000725	10642	<u>L5</u>
<u>L4</u> L3 and (conform\$ with (catalog\$ or dictionar\$))	2	<u>L4</u>
<u>L3</u> L2 and I1	243	<u>L3</u>
<u>L2</u> 705/22,28,29,26,27.ccls.	1697	<u>L2</u>
<u>L1</u> ((license or certificat\$) (2n) level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @ad<=20000725	10261	<u>L1</u>

END OF SEARCH HISTORY

Hit List

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs
Generate OACS				

Search Results - Record(s) 1 through 9 of 9 returned.

☐ 1. Document ID: US 6496858 B1

L16: Entry 1 of 9

File: USPT

Dec 17, 2002

US-PAT-NO: 6496858

DOCUMENT-IDENTIFIER: US 6496858 B1

**** See image for Certificate of Correction ****

TITLE: Remote reconfiguration of a secure network interface

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--------	------	---------

☐ 2. Document ID: US 6453468 B1

L16: Entry 2 of 9

File: USPT

Sep 17, 2002

US-PAT-NO: 6453468

DOCUMENT-IDENTIFIER: US 6453468 B1

TITLE: Methods for improving reliability while upgrading software programs in a clustered computer system

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--------	------	---------

☐ 3. Document ID: US 6345288 B1

L16: Entry 3 of 9

File: USPT

Feb 5, 2002

US-PAT-NO: 6345288

DOCUMENT-IDENTIFIER: US 6345288 B1

TITLE: Computer-based communication system and method using metadata defining a control-structure

Full	Title	Citation	Front	Review	Classification	Date	Reference	Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--------	------	---------

☐ 4. Document ID: US 6230194 B1

L16: Entry 4 of 9

File: USPT

May 8, 2001

US-PAT-NO: 6230194
DOCUMENT-IDENTIFIER: US 6230194 B1

TITLE: Upgrading a secure network interface

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 5. Document ID: US 6088717 A

L16: Entry 5 of 9

File: USPT

Jul 11, 2000

US-PAT-NO: 6088717
DOCUMENT-IDENTIFIER: US 6088717 A

TITLE: Computer-based communication system and method using metadata defining a control-structure

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 6. Document ID: US 6073172 A

L16: Entry 6 of 9

File: USPT

Jun 6, 2000

US-PAT-NO: 6073172
DOCUMENT-IDENTIFIER: US 6073172 A

TITLE: Initializing and reconfiguring a secure network interface

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 7. Document ID: US 6012100 A

L16: Entry 7 of 9

File: USPT

Jan 4, 2000

US-PAT-NO: 6012100
DOCUMENT-IDENTIFIER: US 6012100 A

TITLE: System and method of configuring a remotely managed secure network interface

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw. De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	----------

☐ 8. Document ID: US 5862325 A

L16: Entry 8 of 9

File: USPT

Jan 19, 1999

US-PAT-NO: 5862325
DOCUMENT-IDENTIFIER: US 5862325 A

TITLE: Computer-based communication system and method using metadata defining a

control structure

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

☐ 9. Document ID: US 5790664 A

L16: Entry 9 of 9

File: USPT

Aug 4, 1998

US-PAT-NO: 5790664

DOCUMENT-IDENTIFIER: US 5790664 A

TITLE: Automated system for management of licensed software

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw De
------	-------	----------	-------	--------	----------------	------	-----------	--	--	--------	------	---------

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs	Generate OACS
-------	---------------------	-------	----------	-----------	---------------

Terms	Documents
((license or certificat\$) adj2 level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @ad<=20000725	9

Display Format: TI

Change Format

[Previous Page](#)[Next Page](#)[Go to Doc#](#)

Refine Search

Search Results -

Terms	Documents
L25 and (catalog\$ or dictionary)	14

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L26

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Monday, June 28, 2004 [Printable Copy](#) [Create Case](#)

Set Name	Query	Hit Count	Set Name result set
<i>DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
<u>L26</u>	L25 and (catalog\$ or dictionary)	14	<u>L26</u>
<u>L25</u>	L24 not I18	14	<u>L25</u>
<u>L24</u>	L23 and I2	14	<u>L24</u>
<u>L23</u>	((license or certificat\$) adj3 level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (level or degree)) and @ad<=20000725	75	<u>L23</u>
<i>DB=EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR</i>			
<u>L22</u>	((license or certificat\$) adj3 level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (level or degree)) and @pd<=20000725	0	<u>L22</u>
<u>L21</u>	((license or certificat\$) with level\$) and (catalog\$ or dictionar\$) and @pd<=20000725	0	<u>L21</u>
<u>L20</u>	((license or certificat\$) adj2 level\$) and (catalog\$ or dictionar\$) and @pd<=20000725	0	<u>L20</u>
<u>L19</u>	((license or certificat\$) adj2 level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @pd<=20000725	0	<u>L19</u>

DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR

<u>L18</u>	((license or certificat\$) adj2 level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @pd<=20000725	5	<u>L18</u>
<u>L17</u>	L16 and I2	0	<u>L17</u>
<u>L16</u>	((license or certificat\$) adj2 level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @ad<=20000725	9	<u>L16</u>
<u>L15</u>	L10 and (matsushita w2 industrial)	1	<u>L15</u>
<u>L14</u>	L10 and (matsushita adj2 industrial)	1	<u>L14</u>
<u>L13</u>	L10 and (matsushita 2n industrial)	1	<u>L13</u>
<u>L12</u>	L10 and (matsushita 2a industrial)	1	<u>L12</u>
<u>L11</u>	L10 and (matsushita 2w industrial)	1	<u>L11</u>
<u>L10</u>	6334115.pn.	1	<u>L10</u>
<u>L9</u>	L2 and I6	243	<u>L9</u>
<u>L8</u>	L2 and I7	243	<u>L8</u>
<u>L7</u>	((license or certificat\$) (w2) level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @ad<=20000725	10273	<u>L7</u>
<u>L6</u>	((license or certificat\$) (2w) level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @ad<=20000725	10242	<u>L6</u>
<u>L5</u>	((license or certificat\$) (2a) level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @ad<=20000725	10642	<u>L5</u>
<u>L4</u>	L3 and (conform\$ with (catalog\$ or dictionar\$))	2	<u>L4</u>
<u>L3</u>	L2 and I1	243	<u>L3</u>
<u>L2</u>	705/22,28,29,26,27.ccls.	1697	<u>L2</u>
<u>L1</u>	((license or certificat\$) (2n) level\$) and ((conform\$ or accord\$ or adapt\$ or similar\$ or agree\$ or suit\$) with (catalog\$ or dictionary or database)) and @ad<=20000725	10261	<u>L1</u>

END OF SEARCH HISTORY

First Hit Fwd Refs

Generate Collection

Print

L26: Entry 3 of 14

File: USPT

Mar 26, 2002

DOCUMENT-IDENTIFIER: US 6363363 B1

TITLE: System, method and article of manufacture for managing transactions in a high availability system

Application Filing Date (1):19990824Detailed Description Text (528):

As discussed above, the TCP/IP protocol suite is utilized at the transport level. At the application level, in compliance with SET, all requests arrive at the Gateway in MIME encapsulated HFTP format. Similarly, all responses from the Gateway to the merchant servers will be transferred in HTTP. The HTTP protocol stipulates that a request-response pair will go through the same TCP connection and that the originator, in this case a merchant server, will establish a connection to send the request and will take down the connection when it has received the response.

Detailed Description Text (557):

The Gateway runs under the HP-UX Version 10.10 operating system and is upgraded to support future significant system releases. HP-UX 10.10 conforms to major standards, including: X/Open UNIX 95 (conforming with the Single UNIX Specification, SPEC 1170) X/Open Portability Guide Issue 4 Base Profile (XPG4) OSF AES IEEE POSIX 1003.1 and 1003.2 AT&T System V Interface Definition (SVID3 base and kernel extensions subset) Level 1 API support UC Berkeley Software Distribution 4.3 (BSD 4.3) including such features as job control, fast file system, symbolic links, long file names, and the C shell System V.4 File System Directory Layout

Detailed Description Text (627):

In a preferred embodiment, a holder of a payment instrument (cardholder) surfs the web (Internet) for required items. This is typically accomplished by using a browser to view on-line catalog information on the merchant's World Wide Web page. However, order numbers can be selected from paper catalogs or a CD-ROM and entered manually into the system. This method allows a cardholder to select the items to be purchased either automatically or manually. Then, the cardholder is presented with an order form containing the list of items, their prices, and totals. The totals could include shipping, handling and taxes for example. The order form is delivered electronically from the merchant's server or created on the cardholder's computer by electronic shopping software. An alternative embodiment supports a negotiation for goods by presenting frequent shopper identification and information about a competitor's prices.

Detailed Description Text (691):

FIG. 35 is a flowchart of conditional authorization of payment in accordance with a preferred embodiment. Processing commences at 3500 where the program initializes the connection between the cardholder and the merchant for the purposes of shopping. After the cardholder completes shopping, a new SSL connection is established which provides authenticating information to the merchant. At this point the merchant is able to execute payment functionality (based on SSL or SET) conditionally, based upon the quality and character of the digital signature and the certificate used to validate said signature. Then, at function block 3510, the

cardholder selects the payment instrument for the particular transaction. Payment instruments could include VISA, MASTERCARD, AMERICAN EXPRESS, CHECK, SMARTCARD or DEBIT CARDS. The payment method is then submitted to the merchant at function block 3520. The merchant then initializes the SET connection to the acquiring bank at function block 3530 if the connection is not already established. Then, at function block 3540, the certificate is submitted to the merchant from the acquiring bank. The certificate includes a public key portion and a private key used as an irrefutable digital signature to authenticate the parties to the transaction. The certificate also includes information on the level of credit risk which allows a merchant to conditionally decide on the authorization or rejection of credit under a particular payment instrument based on their risk level and the merchant's personal comfort level with the ability of the cardholder to pay. This processing has not previously been possible because the information returned from the authorizing bank did not include a level of credit risk a cardholder posed, it only contained credit rejected or approved.

Current US Cross Reference Classification (1):
705/26

Current US Cross Reference Classification (2):
705/27

First Hit Fwd Refs

Generate Collection

Print

L26: Entry 9 of 14

File: USPT

Feb 15, 2000

DOCUMENT-IDENTIFIER: US 6026379 A

TITLE: System, method and article of manufacture for managing transactions in a high availability system

Application Filing Date (1):19960617Detailed Description Text (1125):

As discussed above, the TCP/IP protocol suite is utilized at the transport level. At the application level, in compliance with SET, all requests arrive at the Gateway in MIME encapsulated HTTP format. Similarly, all responses from the Gateway to the merchant servers will be transferred in HTTP. The HTTP protocol stipulates that a request-response pair will go through the same TCP connection and that the originator, in this case a merchant server, will establish a connection to send the request and will take down the connection when it has received the response.

Detailed Description Text (1270):

In a preferred embodiment, a holder of a payment instrument (cardholder) surfs the web (Internet) for required items. This is typically accomplished by using a browser to view on-line catalog information on the merchant's World Wide Web page. However, order numbers can be selected from paper catalogs or a CD-ROM and entered manually into the system. This method allows a cardholder to select the items to be purchased either automatically or manually. Then, the cardholder is presented with an order form containing the list of items, their prices, and totals. The totals could include shipping, handling and taxes for example. The order form is delivered electronically from the merchant's server or created on the cardholder's computer by electronic shopping software. An alternative embodiment supports a negotiation for goods by presenting frequent shopper identification and information about a competitor's prices.

Detailed Description Text (1339):

FIG. 35 is a flowchart of conditional authorization of payment in accordance with a preferred embodiment. Processing commences at 3500 where the program initializes the connection between the cardholder and the merchant for the purposes of shopping. After the cardholder completes shopping, a new SSL connection is established which provides authenticating information to the merchant. At this point the merchant is able to execute payment functionality (based on SSL or SET) conditionally, based upon the quality and character of the digital signature and the certificate used to validate said signature. Then, at function block 3510, the cardholder selects the payment instrument for the particular transaction. Payment instruments could include VISA, MASTERCARD, AMERICAN EXPRESS, CHECK, SMARTCARD or DEBIT CARDS. The payment method is then submitted to the merchant at function block 3520. The merchant then initializes the SET connection to the acquiring bank at function block 3530 if the connection is not already established. Then, at function block 3540, the certificate is submitted to the merchant from the acquiring bank. The certificate includes a public key portion and a private key used as an irrefutable digital signature to authenticate the parties to the transaction. The certificate also includes information on the level of credit risk which allows a merchant to conditionally decide on the authorization or rejection of credit under

a particular payment instrument based on their risk level and the merchant's personal comfort level with the ability of the cardholder to pay. This processing has not previously been possible because the information returned from the authorizing bank did not include a level of credit risk a cardholder posed, it only contained credit rejected or approved.

Current US Cross Reference Classification (1):
705/26

Current US Cross Reference Classification (2):
705/27

Other Reference Publication (45):

Trommer, D., ECS Catalog Merges EDI/Net Platforms: Enables Online Ordering in EDI Format Over Net, EBN, (May 20, 1996) p. 54.

First Hit Fwd Refs



Generate Collection

Print

L4: Entry 1 of 2

File: USPT

Dec 25, 2001

US-PAT-NO: 6334115

DOCUMENT-IDENTIFIER: US 6334115 B1

TITLE: Component electronic catalog

DATE-ISSUED: December 25, 2001

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Kuribayashi; Takeshi	Yamanashi			JP
Maenishi; Yasuhiro	Kofu			JP
Nishida; Hiroyoshi	Yamanashi			JP
Nakamura; Nobuyuki	Kofu			JP
Masuda; Satoshi	Yamanashi			JP
Tanaka; Atsushi	Takatsuki			JP

ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE	CODE
Matsushita Electric Industrial Co., Ltd.	Osaka			JP		03

APPL-NO: 09/ 117273 [PALM]

DATE FILED: July 23, 1998

FOREIGN-APPL-PRIORITY-DATA:

COUNTRY	APPL-NO	APPL-DATE
JP	8-012132	January 26, 1996

PCT-DATA:

APPL-NO	DATE-FILED	PUB-NO	PUB-DATE	371-DATE	102(E)-DATE
PCT/JP97/00140	January 23, 1997	WO97/27554	Jul 31, 1997	Jul 23, 1998	Jul 23, 1998

INT-CL: [07] G06 F 17/60, G06 F 7/00

US-CL-ISSUED: 705/27, 700/98, 700/117, 700/118, 700/214

US-CL-CURRENT: 705/27, 700/117, 700/118, 700/214, 700/98

FIELD-OF-SEARCH: 705/27, 364/468.04, 364/468.24, 364/468.25, 364/468.26, 364/478.02, 700/98, 700/117, 700/118, 700/119, 700/214

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected

Search ALL

Clear

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<input type="checkbox"/> <u>5142662</u>	August 1992	Gump et al.	707/501
<input type="checkbox"/> <u>5165015</u>	November 1992	Coggins	345/356
<input type="checkbox"/> <u>5272641</u>	December 1993	Ford et al.	700/97
<input type="checkbox"/> <u>5293479</u>	March 1994	Quintero et al.	345/353
<input type="checkbox"/> <u>5694546</u>	December 1997	Reisman	705/26
<input type="checkbox"/> <u>5721832</u>	February 1998	Westrope et al.	705/27
<input type="checkbox"/> <u>5777876</u>	July 1998	Beauchesne	700/95
<input type="checkbox"/> <u>5897639</u>	April 1999	Greef et al.	707/103
<input type="checkbox"/> <u>5907489</u>	May 1999	Elliott	700/97
<input type="checkbox"/> <u>6002650</u>	December 1999	Kuribayashi et al.	700/117

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	US-CL
3911465 A1	October 1990	DE	
62-247466A	October 1987	JP	
5-225292	September 1993	JP	
6-41805	February 1994	JP	
09-018199 A	January 1997	JP	

OTHER PUBLICATIONS

Electronic Engineers Master Catalog and Purchasing Guide of the Electronic Industry: EEM, 1964-65, Hewlett-Packard, date unknown, presumably 1964.*

Karr, Carolyn, Advanced Imaging, vol. 10, No. 11, p. 77, "Industrial multimedia at Mazda Australia: imaging & graphics for parts ordering," Nov. 1995.*

Computer Associates International Inc., product information release, Jan. 1981.*

Varian, news release, "Varian Optical Spectroscopy Catalogs On-Line", Sep. 12, 1996.*

CD Computing News, vol. 5, No. 4, p. N/A, "Reference Technology Introduces Parts Book Application Package", Apr. 1991.*

Printed Circuit Design, "EDIF Technical Centre," XP 000672813, vol. 12, No. 10, Oct. 1995, US, pp1 17-19.

Finding, Not Searching Multimedia Database for Electronic Components: the CD Catalogue Celebrates Its Debut, Joachim Kroll, vol. 43, No. 20, Oct. 4, 1994, pp. 92-94, 98.

Proceedings of the Design Automation Conference, Las Vegas, Jun. 25, 1989-Jun. 29, 1989, Institute of Electrical and Electronics Engineers, pp. 460-465.

ART-UNIT: 274

PRIMARY-EXAMINER: Millin; Vincent

ASSISTANT-EXAMINER: Rosen; Nicholas David

ATTY-AGENT-FIRM: Wenderoth, Lind & Ponack, L.L.P.

ABSTRACT:

Image data of various kinds of components and component text data required for mounting of components, e.g., shapes, dimensions, packing forms, colors, and the like of the components are stored in a storage medium in a manner to be read out as part of a component electrical catalog. The storage medium is used to make a search for components on a screen and automatically read out necessary component text data. The component electronic catalog can be used not only to search for components on a screen, similar to a conventional component electronic catalog, but to automatically read out component text data so as to automatically form mounting data for components to be mounted which are selected through the screen search.

10 Claims, 35 Drawing figures

First Hit Fwd Refs
End of Result Set

☐ **Generate Collection** **Print**

L4: Entry 2 of 2

File: USPT

Dec 2, 1997

US-PAT-NO: 5694551

DOCUMENT-IDENTIFIER: US 5694551 A

TITLE: Computer integration network for channeling customer orders through a
centralized computer to various suppliers

DATE-ISSUED: December 2, 1997

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Doyle; John D.	Libertyville	IL		
Hoholik; Anthony P.	Gurnee	IL		
Groth; Dennis P.	Grayslake	IL		

ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
Moore Business Forms, Inc.	Grand Island	NY			02

APPL-NO: 08/ 427495 [PALM]

DATE FILED: April 24, 1995

PARENT-CASE:

This is a continuation of application Ser. No. 08/063,755, filed May 20, 1993, now
abandoned.

INT-CL: [06] G06 F 151/00

US-CL-ISSUED: 395/226; 395/234

US-CL-CURRENT: 705/26; 705/34

FIELD-OF-SEARCH: 364/401, 364/402, 364/403, 364/408, 395/201, 395/208, 395/210,
395/226, 395/207, 395/228, 395/230, 395/235, 395/234

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected **Search ALL** **Clear**

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<input type="checkbox"/> <u>4621325</u>	November 1986	Naftzger et al.	
<input type="checkbox"/> <u>4658987</u>	April 1987	Fink, Jr.	

<input type="checkbox"/> <u>4694397</u>	September 1987	Grant et al.	
<input type="checkbox"/> <u>4713761</u>	December 1987	Sharpe et al.	
<input type="checkbox"/> <u>4958280</u>	September 1990	Pauley et al.	364/401R
<input type="checkbox"/> <u>4972318</u>	November 1990	Brown et al.	364/401R
<input type="checkbox"/> <u>4975841</u>	December 1990	Kehnemuyi et al.	364/401
<input type="checkbox"/> <u>4984155</u>	January 1991	Geier et al.	364/401
<input type="checkbox"/> <u>4992940</u>	February 1991	Dworkin	
<input type="checkbox"/> <u>5117353</u>	May 1992	Stipanovich et al.	
<input type="checkbox"/> <u>5117354</u>	May 1992	Long et al.	
<input type="checkbox"/> <u>5168444</u>	December 1992	Cukor et al.	364/401
<input type="checkbox"/> <u>5204821</u>	April 1993	Inui et al.	364/403
<input type="checkbox"/> <u>5224034</u>	June 1993	Katz et al.	364/401
<input type="checkbox"/> <u>5231566</u>	July 1993	Blutinger et al.	364/401
<input type="checkbox"/> <u>5319542</u>	June 1994	King, Jr. et al.	364/401

ART-UNIT: 241

PRIMARY-EXAMINER: Weinhardt; Robert A.

ATTY-AGENT-FIRM: Nixon & Vanderhye P.C.

ABSTRACT:

An electronic requisitioning system for channeling customer requisition orders to internal suppliers and outside vendors, and processing invoices using a centralized computer system. A customer accesses an electronic item catalog and requisition form to place an order transmitted to the central computer system. Requisitions are segregated by supplier and sent as purchase orders to appropriate internal suppliers and outside vendors that ship the items directly to the customer. Invoices are centrally processed and the customer receives a combined invoice for all items requisitions and may transmit payment back through to the central computer system.

9 Claims, 31 Drawing figures

First Hit Fwd Refs

Generate Collection

Print

L4: Entry 1 of 2

File: USPT

Dec 25, 2001

DOCUMENT-IDENTIFIER: US 6334115 B1
TITLE: Component electronic catalog

Abstract Text (1):

Image data of various kinds of components and component text data required for mounting of components, e.g., shapes, dimensions, packing forms, colors, and the like of the components are stored in a storage medium in a manner to be read out as part of a component electrical catalog. The storage medium is used to make a search for components on a screen and automatically read out necessary component text data. The component electronic catalog can be used not only to search for components on a screen, similar to a conventional component electronic catalog, but to automatically read out component text data so as to automatically form mounting data for components to be mounted which are selected through the screen search.

Application Filing Date (1):
19980723

Brief Summary Text (9):

Component catalog brochures have been used heretofore to form the above-described mounting data or inspection data so as to select electronic components of various kinds in conformity with the need from the viewpoint of the circuit design and to mount the selected electronic components properly. Detailed and complicated component information are edited and recorded for every kind of electronic component in the brochures according to a predetermined classification method. In some cases, electronic components have been actually measured with the use of calipers or the like to obtain necessary data.

Drawing Description Text (24):

FIGS. 22A and 22B show diagrams of a different control system adapted to form mounting data from a component electronic catalog similar to that of the first embodiment, according to a second embodiment of the present invention and a data processor thereof;

Detailed Description Text (6):

The data processor 8 equipped with a display 9 forms an operation control program, as control data to be used at the control system 7, to control actual feeding of components and to mount the to supplied components to predetermined positions, with reference to an NC program as mounting position data for every component to be mounted, a supply library related to supplied states of components, e.g., arrangement of components at a component feed section, and a component library for correctly and surely recognizing and mounting the supplied components to predetermined positions, etc. Mounting data C is formed based on requirements from the functional level of the mounting apparatus 4 or supplied states of components, etc., in other words, corresponding to the nature of the mounting apparatus 4. Specific contents of the mounting data can be set freely.

Detailed Description Text (9):

The mounting position data A can be formed, e.g., by a device for CAD 11 and input to the data processor 3 every time each piece of mounting position data is formed,

or total pieces of mounting position data may be stored once and transferred to the data processor 3. Alternatively, a storage medium storing the mounting position data A may be loaded to the data processor 3 for its utilization. The storage medium 12 providing the component text data B stores therein, as shown in FIG. 8, the image data IM of various kinds of components including components to be mounted and the component text data B of necessary information for mounting of components, e.g., shapes, dimensions, packing forms, colors and the like of components. Both data are stored in the storage medium 12 after being edited in accordance with a predetermined classification method. Therefore, by using both the image data IM and the component text data B, various kinds of data on the electronic components can be displayed on the screen according to predetermined procedures and search operations, to be utilized as a component electronic catalog, similar to the conventional art. An interface for this purpose may be provided at either side of the storage medium 12 and the data processor 3. It is also possible to make a required screen display of various kinds of electronic components only by the image data IM.

Detailed Description Text (13):

Needless to say, the mounting data C should be formed correspondingly depending on the type or control level of the mounting apparatus 4. If the mounting data C is formed with characteristic data of the mounting apparatus 4 taken into consideration, the mounting data C obtained fits the characteristics of the mounting apparatus 4, in other words, the mounting time is rendered shortest and handling of components becomes easy and ready without failures, with the effect of more proper mounting. The mounting data C may be arranged to include inspection data for correct mounting of components. The inspection data to detect whether components held by nozzles or chucks are directed properly, and, exchange improper components to proper ones, or correct a component improperly directed is generated by the component text data b formed for every component. Therefore, the inspection data suitable for the components to be mounted can be obtained automatically. The components can be inspected more properly with the same amount of labor and time and consequently, accurate component mounting can be assured.

Detailed Description Text (130):

The component electronic catalog of the present invention is used as a storage medium so as to select various components to be mounted through the screen search, similar to the conventional art. In addition, the electronic catalog is used to automatically read out component text data necessary for mounting of the selected to-be-mounted components, so that the NC program related to the mounting position of components, the component library related to the recognition of components, e.g., shapes, dimensions, colors or the like of components, or the supply library related to the supplied states of components such as the arrangement of components at a component feed section or the like, i.e., mounting data for feeding the components to the mounting apparatus and mounting the components at a predetermined mounting position by the mounting apparatus can be automatically formed in the conventional automatic data processing manner. Since it is not necessary to manually input data of various components necessary for forming the mounting data for every component to be mounted, the electronic catalog greatly can reduce the labor and time required in the formation of the mounting data.

Current US Original Classification (1):

705/27

First Hit Fwd RefsEnd of Result Set

Generate Collection

Print

L4: Entry 2 of 2

File: USPT

Dec 2, 1997

DOCUMENT-IDENTIFIER: US 5694551 A

TITLE: Computer integration network for channeling customer orders through a centralized computer to various suppliers

Application Filing Date (1):
19950424Detailed Description Text (5):

FIG. 3 is a high-level block-diagram of the data processing flow in the system. On the mainframe computer 100 at the central supplier, the transaction program 1000 (FIG. 4) is executed to centrally process the data in the system and maintain 208 databases 102'. These central databases may include individual databases on the customer 122, e.g. ship-to information, pending requisitions 124, master product item catalog 126, general reference information 128 such as product class codes and product groups, and invoicing 130. Similar databases 105' can be maintained in each customer computer system 104 if the customer system is compatible with the central mainframe computer 100. Customer databases 105' contain information inputted at the customer workstations 108 and information periodically exchanged between the customer computer system 104 and the central supplier computer system 100.

Detailed Description Text (9):

FIG. 4 is a flowchart showing on a high level the process flow through the transaction program 1000. In step 1002, a customer retrieves and inputs data into the customer database 105' in the customer computer system 104. In step 1004, the customer selects information from its database and inputs information into the database, such as new requisition data 134. Periodically, such as once a day, new information added to the customer database, such as new requisitions data files, is transmitted to the main computer system 100 in step 1006. This information is used to update the databases 102' in the main system and, in particular, the requisition database 124.

Detailed Description Text (20):

The new completed requisition information in the customer database is transmitted to the main system computer 100 during periodic batch processing in step 1204. Similarly, update information, e.g., purchase order acknowledgments, ship-to updates and product item updates, from the main computer is transmitted to the customer computer to update the customer database in step 1206.

Detailed Description Text (23):

Similarly, update information on the customer catalog (SEQ CUS UPDATES) 1222 is processed 1224 to update file items 1226 in the catalog database 136. Since the master catalog database 126 on the main computer correlates each catalog item entry by customer and price, the individual customer catalogs are readily updated. In addition, data files on a particular customer, such as to whom at the customer items are to be sold, billed, shipped and directed to the attention of, 1228, are updated at the main computer system 100 and then transmitted to the customer computer to update, step 1230, similar database files 1232 in the customer databases. The data in the catalog and customer update files are also documented in

control reports. The initial customer specific information is entered when the customer is initially set up to interact with the main computer requisition system.

Detailed Description Text (25):

In step 1312, the data files loaded in the databases 102, is edited such that the customer number is converted, see data files 1314, to appropriate bill-to, ship-to, sold-to and attention-to data and then verified to ensure that the data is consistent with stored data and that the item numbers ordered conform to the item numbers in the master catalog 126. In step 1316, the requisition detail data on ordered items is split into data for the appropriate outside vendor, see data field 1318, and data for the appropriate internal departments, see data field 1320. The data fields for the internal departments is again reformatted in step 1322 for reloading back into the databases 102 of the main computer system. Generally, each internal department will maintain its own databases, separate from those of the main computer system, in a fashion similar to outside vendors.

Detailed Description Text (30):

In step 1430, the edited invoice data is again reformatted and annotated with requisition data 130, e.g., from requisition header and detail files (RQN HDR and RQN DTL), to conform to the master database 102 format and is then stored in the master database invoice file and master customer file (VLD CM) 131. (MAST INV) 130 and validated.

Current US Original Classification (1):

705/26



Advanced Search

license conform level dictio IN all publications

Search

DIRECTORY

WEB

ARTICLES

YOU ARE HERE: Articles > All Publications > Results for "license conform level catalog order"

Article results (Showing 1 - 7 of 7)

About

Sort by relevance



Now you can sort these results by date and more.

1. **The utility business model and the future of computing services**

The utility business model is shaped by a number of characteristics that are typical in public services: users consider the service a necessity, high ...

IBM Systems Journal, March 1, 2004 by M.A. Rappa · 5 pages · options

2. **Product Source**

Digital on-air control surface

Radio, August 1, 2003 · 14 pages · options

3. **Equipment, Supplies and Services - A-G - wine industry**

Since 1979 Wines & Vines has published this Equipment, Supplies and Services issue for two reasons: to acknowledge the growing number of suppliers who ...

Wines & Vines, November 1, 2002 · 5 pages · options

4. **The evolution of organizational niches: U.S. automobile manufacturers, 1885-1981**

Although the niche figures prominently in contemporary theories of organization, analysts often fail to tie micro processes within the niche to long-term ...

Administrative Science Quarterly, June 1, 2002 · 12 pages · options

5. **An economic model to analyze the impact of false claims act cases on access to healthcare for the elderly, disabled, rural and inner-city poor**

I. INTRODUCTION

American Journal of Law & Medicine, December 22, 2001 by Dayna Bowen Matthew · 12 pages · options

6. **The NHCN Top 20: A five-year perspective**

Highlights of 1998

National Home Center News, May 24, 1999 · 6 pages · options

7. **Vivendi Universal Reports 2001 Results**

Business Editors

Business Wire, March 5, 2002 · 6 pages · options

We're always looking for ways to improve your search experience. [Tell us how we're doing.](#)

Join the Zeal community and help build the "license conform level catalog order" Directory Topic.

license conform level catalog IN all publications

Search

ISO TC184/SC4/WG2 N 376

Supersedes ISO TC 184/SC4/WG 2 N 342

ISO/IS 13584-42

Parts library: Description methodology: Methodology for structuring parts families

103 7/24/01

DWG

Date: 1997-06-05

14/3/03

COPYRIGHT NOTICE:

This ISO document is a Final Draft International Standard and is copyright-protected by ISO. Except as permitted under the applicable laws of the user's country, neither this ISO draft nor any extract from it may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, photocopying, recording, or otherwise, without prior written permission being secured.

Requests for permission to reproduce should be addressed to ISO at the address below or ISO's member body in the country of the requester:

Copyright Manager
ISO Central Secretariat
1 rue de Varembe
1211 Geneva 20 Switzerland
telephone: +41 22 749 0111
telefacsimile: +41 22 734 0179
Internet: central@isocs.iso.ch

X.400: c=ch; a=400net; p=iso; o=isocs; s=central

Reproduction for sales purposes for any of the above-mentioned documents may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.

ABSTRACT:

This part of ISO 13584 specifies:

- the rule to group parts into generic families of parts and simple families of parts;
- the rules for the choice of the appropriate properties that shall be associated with the families of parts;
- the attributes that shall be provided by library data suppliers to describe the families and properties of parts.
- the specifications of those attributes in the EXPRESS information model that provide for the exchange of such dictionary data.

KEYWORDS: parts library, data dictionary, meta-data, Basic Semantic Unit (BSU)

COMMENTS TO READER:

This document has been reviewed and noted by the ISO TC 184/SC4 Secretariat and has been determined to be ready for this ballot cycle.

The only differences with N 332 is that the normative reference to ISO 13584-1 has been removed, the index has been completed, and the error in the cardinality of item_class has been corrected.

This document has been developed as a joint effort of ISO TC184/SC4/WG2 and IEC SC3D. The EXPRESS information model for dictionary data documented in an informative annex of this document is identical to the model documented in IEC 61360-2.

Project Leader: Guy Pierra

Address:

LISI / ENSMA

Site du Futuroscope

86960 Futuroscope Cedex

France

Telephone: +33 5 49 49 80 60

Telefacsimile: +33 5 49 49 80 64

Electronic mail:

pierra@ensma.univ-poitiers.fr

Project Editor: Hans Ulrich Wiedmer

Address:

Grabenstrasse 9

CH-4913 Bannwil

Switzerland

Telephone: +41 62 963 15 25

Telefacsimile: +41 62 963 15 25

Electronic mail:

JohnWiedmer@compuserve.com

Contents	Page
Foreword	viii
Introduction	x
1 Scope	1
2 Normative references	2
3 Terms and definitions	3
3.1 Terms and definitions from ISO 10303-1	3
3.2 Terms and definitions from ISO 13584-1	4
3.3 Terms and definitions from ISO 13584-10	4
3.4 Other terms and definitions	4
4 Abbreviated terms	6
5 Description of a hierarchy of families of parts	6
5.1 Simultaneous description of families of parts and parts properties	6
5.2 Applicable and visible properties	7
5.3 Purpose of the standardised identification hierarchy	7
5.4 Use of the standardised identification hierarchy	7
5.5 Class valued property	7
5.6 Extensions of the common dictionary schema addressing IEC 61360 needs	8
5.7 Extension of the common dictionary schema addressing ISO 13584 needs	8
5.8 Compatibility between IEC 61360 and ISO 13584	8
6 Rules for creating hierarchies of families of parts	9
6.1 Choice of family hierarchy	9
6.1.1 Field of application	9
6.1.2 Upper section of the hierarchy	9
6.1.3 Lower section of the hierarchy	10
6.1.4 Simple family of parts	10
6.1.5 Multiple perspectives on the hierarchy	10
6.2 Association of properties	11
6.2.1 Properties to be considered	11
6.2.2 Semantic identification of properties	11
6.2.3 Factoring rule	11
7 Dictionary elements that describe properties of parts	12
7.1 Mapping of properties onto the common dictionary schema	12
7.2 Attributes	12
7.2.1 Code	13
7.2.2 Definition Class	14
7.2.3 Data Type	14
7.2.4 Preferred Name	14
7.2.5 Short Name	14
7.2.6 Preferred Letter Symbol	15
7.2.7 Synonymous Letter Symbol	15
7.2.8 Synonymous Name	15
7.2.9 Property Type Classification	16
7.2.10 Definition	16
7.2.11 Source Document of Definition	16
7.2.12 Note	17
7.2.13 Remark	17
7.2.14 Unit	17
7.2.15 Condition	17

looksmart

<http://www.looksmart.com/>

FIND ARTICLES

<http://www.findarticles.com/>

[Articles](#) > [IBM Systems Journal](#) > [March, 2004](#) > [Article](#) > [Print friendly](#)

The utility business model and the future of computing services

M.A. Rappa

The idea of utility computing has received attention recently and for good reason. The use of computers continues to be a rapidly expanding feature of modern society, and industry has come to rely on computers to perform a multitude of tasks beyond simple data processing and storage. Computer networks have extended the reach of computing to connect businesses across the supply chain and, in many instances, directly to the consumer. With the growth of the Internet, the computer has come to play an even greater role in commerce.

Computing has also become a larger and more intimate part of daily life for many people. Individuals now use computers to accomplish a wide array of tasks, from the complex to the mundane. (1-3) Whether it is used for communicating by e-mail and instant messaging, paying bills and managing personal finances, or the pursuit of hobbies and entertainment, the computer has become an essential tool. Indeed, the variety of tasks performed with computers today would have been difficult to foresee as little as two decades ago.

With all this progress has come a greater degree of reliance on computers and their connectivity to networks, and this reliance has bred high expectations for the availability and performance of computing and networking services. This expectation is not unlike that seen in other areas of technology to which modern society has grown accustomed; for example, the dependence on a ready availability of affordably priced electricity. Long ago a curiosity and a luxury, over the last century we have seen electricity grow beyond a modern everyday convenience to become a necessity in the lives of most people.

The prominence of computers in society and our growing reliance on them raises an interesting question: Is computing the next utility? The answer to this question has broad implications for the future of computing. Already, the idea of utility computing has begun to influence the development of computer technology in such areas as the auto-provisioning of computing resources and resource sharing across a computing grid. (4-6) Its potential role in the evolution of business models for computing services is of equal importance, and that role is addressed in this paper.

Common characteristics of utilities

In many parts of the world, although by no means everywhere, services such as water, power, heat, light, common carrier transportation (airlines, buses, and railroads), and telephone access are typically provided by a public utility. What makes any particular service a utility is shaped by a combination of requirements (see Table 1), most notably: users consider it a necessity; high reliability of service is critical; case of use is a significant factor; the full utilization of capacity is limited; services are scalable (leading to economics of scale); and exclusive rights are granted for providing service in a given area.

Necessity. Users depend on utility services to fulfill their day-to-day needs. Doing without service is an unwelcome option for them. Of course, seldom do utility services start out as essential. It takes time for distribution networks to spread and costs to decline. It also may take time for users to adapt to the service. Once a service does take hold, it may grow in importance as users discover new ways to use it to their benefit. How crucial a service becomes may ultimately depend on the circumstances of the individual user. But once users do come to depend on a service, it can become a transparent part of their everyday reality.

Reliability. The service provided by a utility must be readily available when and where the user needs it. A temporary or intermittent loss of service may cause more than a trivial inconvenience to the user; a prolonged loss of service may cause severe hardship. Because a failure in service has undesirable consequences, utilities must operate with an exceptionally high degree of reliability.

Providing continuous service in the face of various contingencies is a huge technological challenge that utilities face. Because some kinds of services may not be easily or cheaply inventoried, if at all, redundancy must be built into production capacity to make up for the inevitable equipment failure. Furthermore, because utilities provide on demand services, they must deploy transparent failover

mechanisms and standby services to ensure continuous availability to the user. If one area of a service grid fails, the system must be able to compensate and respond instantaneously to the shortfall, thereby preventing the disruption of the service.

Necessity drives user expectations of utility services beyond what may be typical in other industries. Whether or not these expectations are realistic, utilities must do their best to buffer users from the predictable problems that could cause a discontinuity in service.

Usability. No matter how technologically complex they may be on the production end, utility services are characteristically simple at the point of use. Users have what could be called a "plug-and-play" mentality. This is not to say that devices connected to a service are unsophisticated, but the utility service itself tends to exist only in the background. Users may become mindful of a utility only in those rare instances when the service fails to meet their expectations. This may explain why the public perception of a utility is not always positive.

One ingredient in making a service simple at the user interface is a high level of technical standardization. Devices that add user functionality to the service must conform to the specifications of the network. Plug compatibility, independent of the vendor, is a common feature of utility services. Even so, technical standardization can be extremely difficult to achieve. In marketplaces where proprietary innovation is strong, the incentive for competitors to agree on standards is weak. Although a lack of standardization is costly and inconvenient, premature consensus on a standard may forestall significant innovation that can be of benefit to users.

To the extent that incompatible standards take hold, in some cases the consequences can endure for long periods, as fixed investments in infrastructure grow. Just how long this condition can last is illustrated by the case of the difference in voltage standards around the world. In such situations, technologies that enable the conversion between standards become a regular and cumbersome aspect of the user experience.

Utilization rates. Utilities are driven by a need to carefully manage utilization rates. User demand for utility services can fluctuate widely over time and across the service region. Because sufficient production capacity must be installed to handle periods of peak demand, overall utilization rates are typically well below full capacity.

In addition to fluctuations in usage, there may be discrete incidents of an exceptional nature when demand spikes sharply upward. Such spikes can occur when large numbers of users suddenly want to use the service simultaneously. Other spikes may occur when users fear a shortage in supply and begin hoarding, to the extent that it is possible.

Underutilization in off-peak periods provides a strong economic rationale for service providers to shift user demand from peak to off-peak periods. By pricing services according to actual metered usage and by providing off-peak price discounts, fluctuations in user demand can be smoothed out over the cycle. How a service is billed may also create incentives for users to limit their usage.

Scalability. Utilities are commodity businesses. Therefore, utility services can exhibit significant economies of scale that favor larger producers over smaller ones. As production capacity rises, the unit cost of production falls. There may be other size-related benefits as well. It might be expected that as the demand for a service increases beyond some threshold, the quality of service may decline as users begin to compete with each other. However, with some types of utilities, service can become more and more useful as the number of users increases.

Service exclusivity. The economies of scale in a utility can benefit from a monopolistic provision of services. When this is the case, the government may step in to grant an exclusive franchise in a geographic region. Government regulation of the service and how it is priced typically accompanies such a sanction. Cost-based pricing is a common formula. With the benefits of an exclusive franchise comes the obligation to serve any and all users regardless of how profitable it may be for the utility.

Some of the common characteristics of a utility derive from its relationship with its customers. Other characteristics are derived from technological and business aspects of how the service is produced and distributed. The preceding list of characteristics, while important, is not meant to exclude other possible factors that may be relevant to particular types of utility.

Each of the characteristics described here may or may not play an equal role in shaping any particular type of utility service. Table 1 provides an evaluation in the most general terms of the potential relevance of each factor for public utility services, including water,

electricity, and common carrier (or public) transportation. In addition, the comparison is extended to examine a few businesses that have some characteristics in common with public utilities, namely radio and television broadcasting and Internet access services.

The utility business model

The factors of user necessity, reliability, usability, utilization, scalability, and exclusivity, when taken together, shape the business model for utility services. To understand the nature of the utility model, it is useful to place it in the context of business models in general. A business model is a method of doing business. All business models specify what a company does to create value, how it is situated among upstream and downstream partners in the value chain, and the type of arrangement it has with its customers to generate revenue. In any given industry, the methods of doing business may vary, but there are limits imposed by technological factors, by the competitive dynamic among companies and between companies and their channel partners, and by customer expectations and preferences, among other things.

There have been a number of attempts to create schema for classifying the various types of business models seen in practice, particularly in relation to the internet. (7-11) The commercialization of the Internet during the 1990s drew a great deal of attention to business models. The Internet opened the door to new business opportunities, but many Internet-based enterprises failed because they had not clearly thought through their model--particularly, how money would be made. Nonetheless, given the rapid adoption of the Internet, it may no longer be possible to discuss business models without taking it fully into account.

One approach to the classification of e-business models is a comprehensive taxonomy using the customer relationship as the primary dimension for defining categories. (7) Although by no means the only approach, this has proven to be a useful framework because it builds upon a common parlance already used in many industries to describe methods of business. Although other approaches may be more suitable for other purposes, it is unreasonable to expect that any single taxonomy can account for the vast diversity of business models found in practice without becoming unwieldy.

Nine major categories are used to classify a number of different types of business models that have been identified in practice among Web-based enterprises (see Table 2):

Brokerage model. Brokers are market makers: they bring buyers and sellers together and facilitate transactions. Brokers play a frequent role in business-to-business (B2B), business-to-consumer (B2C), or consumer-to-consumer (C2C) markets. Usually, a broker charges a fee or commission for each transaction it enables. The formula for fees can vary. Brokerage models include exchanges, demand collection systems, and auction brokerages.

Advertising model. The advertising model on the Web is an extension of the traditional media broadcast model. The broadcaster, in this case a Web site, provides content (usually, but not necessarily, for free) and services (like e-mail, chat, forums) mixed with advertising messages in the form of banner ads. The banner ads may be the major or sole source of revenue for the broadcaster. The broadcaster may be a content creator or a distributor of content created elsewhere. The advertising model works best when the volume of traffic is large or highly specialized. Advertising models include portals, query-based paid placement, contextual advertising, and content-targeted advertising.

Information-intermediary model. Data about consumers and their consumption habits are valuable, especially when that information is carefully analyzed and used to target marketing campaigns. Independently collected data about producers and their products are useful to consumers who are considering a purchase. Some firms function as "informediaries" (information intermediaries) assisting buyers and/or sellers to understand a given market.

Merchant model. Merchants are wholesalers and retailers of goods and services. Sales may be made based on list prices or through auctioning. Merchant models include virtual merchants or "e-tailers", mail-order businesses with a Web-based catalog, and traditional brick-and-mortar retail establishments with Web storefronts.

Manufacturer Direct model. The maker of a product or service may sell (by purchase, lease, or license) directly to the consumer. The manufacturer or direct model is based on the power of the Web to allow a manufacturer to reach buyers directly and thereby compress the distribution channel. The manufacturer model may be chosen for its efficiency, improved customer service, or due to a better

understanding of customer preferences.

Affiliate model. The affiliate model provides purchase opportunities wherever people may be surfing the Web. Financial incentives (in the form of a percentage of revenue) are offered to affiliated partner sites. The affiliates provide purchase-point click-through (i.e. direct linking) from their Web sites to the merchant's Web site. It is a pay-for-performance model--if an affiliate does not generate sales, no cost to the merchant is incurred. The affiliate model is inherently well suited to the Web, which explains its popularity. Variations of this model include banner exchange, pay-per-click, and revenue sharing programs.

Community model. The community model is based on user loyalty. Loyal users invest both their time and emotions in a business. Revenue can be generated based on the sale of ancillary products and services or voluntary contributions. The best known example of a community model is that of "open source" computing. The businesses that have emerged around open source products rely on revenue generated from related services such as systems integration, product support, tutorials, and user documentation. Another example is the traditional public broadcasting model, the listener or viewer-contributor method used in not-for-profit radio and television broadcasting. The model is based on the creation of a community of interested users who support the site through voluntary donations.

Subscription model. Users are charged a periodic daily, monthly, or annual fee to subscribe to a service. It is not uncommon for sites to combine free content with "premium" (i.e., subscriber only or member only) content. Subscription fees are incurred regardless of actual usage rates. Subscription and advertising models are frequently combined. Examples include content services, person-to-person networking services, trust services, and Internet service providers (ISPs).

Utility and hybrid models. The utility model is based on metering usage and constitutes a "pay as you go" approach. Unlike subscription services, metered services are based on actual usage rates. For example, an ISP may use a utility model, charging customers for connection minutes, though the subscription model is more common among ISPs operating in the United States. An interesting hybrid model on the Web, the metered subscription, allows subscribers to purchase access to content in metered portions, such as the number of pages viewed.

Metering customer usage is one characteristic that figures prominently in the utility business model and sets it apart from other models. But utilities in the off-line world are not limited to the approach of metering usage (see Table 3 and Figure 1). One example is residential telephone services. For some time, the so-called "plain old telephone system" (or POTS) adopted a combination of metered usage for long distance services, a subscription model for local calling services, and a lease model for the usage of telephone equipment (though nowadays equipment is typically purchased outright). Under a subscription model, users pay a flat rate for monthly service regardless of actual usage levels.

[FIGURE 1 OMITTED]

Cellular phone services have adopted yet another combination of the subscription and utility models. A monthly subscriber fee for both local and long distance service is tied to a maximum level of usage (i.e., connection minutes), beyond which usage is metered and billed accordingly. The subscription may come with a minimum-length service contract, and may also include equipment as part of the agreement. The popularity of the cellular business model has recently led telephone service providers to consider the adoption of a similar approach with the introduction of a flat-rate subscription for both local and long distance calling services bundled together.

Radio and television broadcasting offers another example of how different business models can be combined in a service that exhibits characteristics similar to a utility. Terrestrial broadcasting services have typically depended on sponsorship in the form of commercial advertisements that are interspersed with programming. There is also a form of terrestrial broadcasting, which is publicly sponsored, that could be classified with community business models. Satellite and cable broadcasters use a subscription model in which the user is charged for a basic package of bundled services and can also choose from a menu of premium content.

Internet access services provide an example of how business models adapt to technological changes in how a service is provided. Early in the commercial rollout of the Internet, services offered dial-up access by using a combination of business models not unlike the telephone service on which that access depended. A user could pay according to actual usage or pay a subscriber fee for limited (and later unlimited) service. With the advent of residential broadband services, Internet access providers offer "always on" service using a subscription model.

Utility computing

Recent projections from IBM have envisioned utility computing as an integral part of the future of information technology. IBM Global Services provides the following definition:

Utility computing is the on demand delivery of infrastructure, applications, and business processes in a security-rich, shared, scaleable, and standards-based computer environment over the Internet for a fee. Customers will tap into IT resources and pay for them as easily as they now get their electricity or water. (12)

In a recent interview, Irving Wladawsky-Berger, General Manager for e-business on demand, said:

The idea of accessing computing and data without having to own the computers probably is even older than the 1980s because at some level that's what time-sharing computing was about, and that probably was back in the 1970s. It's a very nice thought, which comes from watching other successful utilities. You know, people are used to the fact that they use electricity, they turn on water faucets, they use the telephone, they get access to television, and in none of these cases do they have to own the equipment that generates electricity. They don't have to own the water supply, of the telephone switches, of the broadcasting companies. Everybody says, "Gee wouldn't it be nice if I can similarly plug in to get access to applications and information?" (13)

Recent discussions of computing have begun to point to its similarity to conventional public service utilities. (14,15) To be sure, the analogy can be taken too far, but it is instructive to examine the general service requirements of utilities in the context of computing to better gauge where business models may be heading in the future. It may very well be that current business models based on purchasing, leasing, and licensing of products will ultimately give way to a utility model of computing based on subscriber fees and metered services.

The importance of computers for business has become an indisputable fact. Computer and network services are an end-to-end component of many business processes. To be without service is not merely an inconvenience; it is a potential financial disaster. It should therefore come as no surprise that businesses both large and small have come to view computers as a necessity in the same manner as they might view utility services. Furthermore, it is likely that the reliance of individual users on computing services will soon rival if not surpass their reliance on public utilities like the residential telephone as an essential service.

As reliance on computing grows, so will the expectation among users for reliable service. Improvements in computer reliability have been made, but there is still much work to be done. Software remains a source of instability in the heterogeneous computer environments that exist today. As software has become more powerful, it has also become more complex in terms of the underlying code. This complexity creates a major challenge in engineering reliable software even under benign conditions, and this is exacerbated by the unrelenting security threat to computer networks. Current approaches to security, which can rely heavily on patching software after it is deployed, may be severely flawed as a method for achieving high reliability.

The growth of personal computers and the Internet have made computing a mainstream activity. Today the computer user population

cuts across a wide spectrum in terms of age, education, and other demographic dimensions. Fortunately enormous progress has been made to improve computer usability. The user interface for personal computing is good evidence of success in making computers easier to use. Both hardware and software makers are moving quickly in the direction of creating products with "plug and play" convenience. But even so, computers have not yet achieved the goal of becoming as simple to use as a common household appliance. Advances in usability have been offset by the rapid technological innovation that has kept designs and standards in flux.

The substantial investment made in computing infrastructure has spurred an interest in increasing the overall rate of its utilization. Current progress in technology is making this possible. An example is the virtualization of server and storage capacity and the advent of grid computing supported by open standards. Grid computing will ultimately present utility-computing service providers with capacity planning issues similar to those faced by public utilities. Managing peak demand and the economical utilization of capacity will require incentives to modify usage patterns. This will favor the adoption of metered usage as a core element in the business model for utility computing.

To the extent that technology enables computing services to be scalable, the economies of scale typical of public utility services should also apply to utility computing. The benefits may come on several fronts, because the fixed cost of services of the utility can be amortized across a larger population of users, thereby reducing the unit cost per user. Utility computing may also benefit from the ability to retain the necessary skilled workforce to manage and maintain computing services in a way that is difficult for small and medium-sized enterprises. This may be of particular importance in dealing with network security, a field where there is a scarcity of talent.

One manner in which utility computing may differ from a public utility is with respect to service exclusivity. The trend in recent decades has been to deregulate and encourage competition in the public utility sector, for example, telephone and electricity service. It may be too soon to judge the overall effect deregulation has had on the provision of public services. At least some of the challenge of deregulation is the result of the tumultuous transition from a regulated environment. Utility computing may benefit from an opportunity to grow in a highly competitive marketplace. To the extent that technology evolves in a direction that permits competition in the provision of services, such as with open network protocols, the need for service exclusivity may be lessened. However, it should be expected that de facto technical standards and competitive advantages among enterprises might eventually lead to the emergence of dominant (if not exclusive) utility computing service providers.

It is interesting to speculate on what shape the utility-computing business model might take in the foreseeable future. The provision of computing services presents a matrix of opportunities that goes well beyond any comparison to traditional public utilities like electricity. Although it may be technically feasible to meter some kinds of computing services, there remains the question of which services to meter and how this can be done. At the level of computing infrastructure, it is possible to envision the metered usage of CPU resources, for example. At the application layer, there is already a move away from a pure license model toward subscription-based services. It is also conceivable that some kinds of applications could be adapted to a metered usage model, or a combination of subscription and metering. Lastly, it may be advantageous to meter computing services based on the completion rate of discrete business processes, such as the number of customer transactions.

>From the customer's point of view, the business logic of metering usage can be compelling: one pays only for what one uses. This is something that IT managers who are faced with an escalating cost-of-ownership can appreciate. But the initial move away from the ownership model to the utility computing model will be hampered unless there exist clear operational measures of the underlying demand function and, therefore, a way to determine the cost to an organization when the meter is turned on. Depending on the kind of metering employed, end users may have to adjust their computing habits to cultivate an ethic of resource conservation and be mindful of the usage costs they incur. It is likely that commoditized services will be more easily adapted to a metered usage model.

In comparison, the subscription model provides users with more flexibility, and provides managers with a more accountable, if intermediate, approach on the path toward utility computing. A subscription-based service is more amenable to high value-added proprietary services that require more elaborate service level agreements. In a situation where there remains uncertainty about the upside demand for services or where there are weak controls on usage levels, we are more likely to see adoption of a subscription approach. Table 4 provides a summary comparing the factors that may favor deployment of a subscription model versus those that favor metered usage of computing services.

Conclusion

A vision of the future of computing services based on the utility-computing business model has already begun to take shape. Application service providers, managed services, and hosting are an increasingly common part of the computing landscape. Users have come to depend on computers and have high expectations of their reliability; they look toward a day when the use of computers matches the ease of other everyday appliances. Furthermore, the provision of computing services is increasingly driven by economies of scale and the effective utilization of resources.

The kind of utility-computing business model that will find favor with the customer remains to be seen. Already large enterprise customers are taking the first steps toward a model based on multiyear subscription contracts. However the metered use of computing services is a significant leap from the current model of purchasing or leasing computer hardware, accompanied by software licensing.

Clearly, there are trade-offs involved in migrating to new business models. Customers must be convinced of the tangible benefits in making a change. What is ceded in terms of ownership and control must be more than modestly offset by advantages in procuring computing services, such as flexibility, speed of deployment, and cost savings.

Table 1 Requirements common to utility services.

	Necessity	Reliability
Water	H	H
Electricity	H	H
Common Carrier Transportation	M	H
Telephone:		
POTS	H	H
Cellular	M	M
Radio and Television Broadcasting:		
Terrestrial	M	H
Satellite	M	M
Cable	M	H
Internet Access:		
DSL	H	H
Cable	H	H
Dial-up	M	M

	Usability	Utilization
Water	H	M
Electricity	H	H
Common Carrier Transportation	H	H
Telephone:		
POTS	H	H
Cellular	H	H
Radio and Television Broadcasting:		
Terrestrial	H	L
Satellite	M	L
Cable	H	L
Internet Access:		
DSL	H	H
Cable	H	H
Dial-up	H	H

	Scalability	Exclusivity
--	-------------	-------------

Water	R	H
Electricity	H	H
Common Carrier Transportation	M	H
Telephone:		
POTS	H	M
Cellular	H	L
Radio and Television Broadcasting:		
Terrestrial	H	M
Satellite	H	L
Cable	H	H
Internet Access:		
DSL	H	H
Cable	H	H
Dial-up	H	L

L = Low relevance

M = Medium relevance

H = High relevance

Table 2 Taxonomy of e-business models

Type	Model
Brokerage	<p>Marketplace Exchange--Offers a full range of services covering the transaction process, from market assessment to negotiation and fulfillment. Exchanges operate independently or are backed by an industry consortium.</p> <p>Buy/Sell Fulfillment--Takes customer orders to buy or sell a product or service, including terms like price and delivery.</p> <p>Demand Collection System--The patented "name-your-price" model pioneered by Priceline.com **. Prospective buyer makes a final (binding) bid for a specified good or service, and the broker arranges fulfillment.</p> <p>Auction Broker--Conducts auctions for sellers (individuals or merchants). Broker charges the seller a listing fee and commission based on the value of the transaction. Auctions vary widely in terms of the offering and bidding rules.</p> <p>Transaction Broker--Provides a third-party payment mechanism for buyers and sellers to settle a transaction.</p> <p>Distributor--A catalog operation that connects a large number of product manufacturers with volume and retail buyers. Broker facilitates business transactions between franchised distributors and their trading partners.</p> <p>Search Agent--A software agent used to search for the</p>

price and availability of goods or a service specified by the buyer or to locate hard-to-find information.

Virtual Mall---A hosting service for on-line merchants that charges setup, monthly listing, and/or transaction fees. May also provide automated transaction and relationship marketing services.

Advertising

Portal---Usually a search engine that may include varied content or services. A high volume of user traffic makes advertising profitable and permits further diversification of site services. A personalized portal allows customization of the interface and content to the user. A niche portal cultivates a well-defined user demographic.

Classifieds---List of items for sale or wanted for purchase. Listing fees are common, but there also may be a membership fee.

Registered User---Content-based sites that are free to access but require users to register and provide demographic data. Registration allows inter-session tracking of user surfing habits and thereby generates data of potential value in targeted advertising campaigns.

Query-based Paid Placement---Sells favorable link positioning (i.e., sponsored links) or advertising keyed to particular search terms in a user query, such as the Overture ** trademark pay-for-performance model.

Contextual Advertising---Freeware developers who bundle ads with their product. For example, a browser extension that automates authentication and form fill-ins may also deliver advertising links or pop-ups as the user surfs the Web. Contextual advertisers can sell targeted advertising based on an individual's surfing behavior.

Content-Targeted Advertising---Pioneered by Google **, the precision of search advertising is extended to the rest of the Web. Google identifies the content of a Web page and then automatically delivers relevant ads when a user visits that page.

Ultramercials **---Interactive online ads that require user interaction to reach the intended content.

Information

Intermediary

Advertising Networks---A service feeding banner ads to a network of member sites, thereby enabling advertisers to deploy large marketing campaigns. Ad networks collect data about Web users that can be used to analyze marketing effectiveness.

Audience Measurement Service---On-line audience market research.

Incentive Marketing---Customer loyalty programs providing incentives to customers such as redeemable points or coupons for making purchases from associated retailers. Data collected about users are

	sold for targeted advertising.
Merchant	<p>Virtual Merchant--A retail merchant that operates solely over the Web (also known as an "e-tailer").</p> <p>Catalog Merchant--Mail-order business with a Web-based catalog which combines mail, telephone, and on-line ordering.</p> <p>Click and Mortar--Traditional brick-and-mortar retail establishment with a Web storefront.</p> <p>Bit Vendor--A merchant who deals strictly in digital products and services and, in its purest form, conducts both sales and distribution over the Web.</p>
Manufacturer	Purchase Model--A manufacturer that sells its products or services directly to the consumer.
Direct	<p>Lease Model--A manufacturer that finances the sale or rental of its products directly to the consumer.</p> <p>Licensing Model--A manufacturer, such as a software maker, that licenses its product directly to the consumer.</p> <p>Brand-Integrated Content--In contrast to the sponsored-content approach (i.e., the advertising model), brand-integrated content is created by the manufacturer itself for the sole purpose of product placement.</p>
Affiliate	<p>Banner Exchange--Trades banner placement among a network of affiliated sites.</p> <p>Pay-per-Click--Site that pays affiliates for a user click-through.</p> <p>Revenue Sharing--Offers a percent-of-sale commission based on a user click-through in which the user subsequently purchases a product.</p>
Community	<p>Open Source--Software developed voluntarily by a global community of programmers who share code openly. Instead of licensing code for a fee, open source relies on revenue generated from related services like systems integration, product support, tutorials, and user documentation.</p> <p>Public Broadcasting--User contributor model used by not-for-profit radio and television broadcasting extended to the Web. The model is based on the creation of a community of users who support the site through voluntary donations.</p> <p>Knowledge Networks--Discussion sites that provide a source of information based on the sharing of expertise among professionals.</p>
Subscription	<p>Content Service--Provides text, audio, or video content to users who subscribe for a fee to gain access to the service.</p> <p>Person-to-Person Networking Service--Conduit for the distribution of user-submitted information, for example, individuals searching for former schoolmates.</p> <p>Trust Service--Membership association that abides by an explicit code of conduct and to which members</p>

pay a subscription fee.

Internet Service Provider--Provides network connectivity and related services.

Utility Metered Usage---Measures and bills users based on actual usage of a service.

Metered Subscription--Allows subscribers to purchase access to content in metered amounts (e.g., numbers of pages viewed).

Table 3 Business models of utility services

Type of Service	Business Models
Water	Metered usage of service
Electricity	Metered usage of service
Common Carrier Transportation	Basic pay-as-you-go fare for one-way or roundtrip service; subscription for commuter service
Telephone:	
POTS	Subscription for local service; metered usage of long distance service; equipment is leased or purchased
Cellular	Subscription with usage limits; metered usage in excess of the subscription limit; equipment purchased or bundled with subscription
Radio and Television Broadcasting:	
Terrestrial	Advertiser-sponsored, community-sponsored
Satellite	Subscription with basic package and premium services
Cable	Lease or purchase equipment Subscription with basic package and premium services Pay-per-view for special event programming and movie selections Leased equipment is bundled with service
Internet Access:	
DSL	Subscription for unlimited ("always on") service Leased equipment is bundled with service
Cable	Subscription for unlimited ("always on") service Leased equipment is bundled with service
Dial-up	Subscription for limited service or metered usage based upon connection time Equipment is purchased

Table 4 Factors favoring subscription versus metered utility model for

computing services

Metered Model

Usage measures are easy to define, monitor, and verify

Strong managerial controls on usage patterns

Commoditized, low value-added services

Favored by cost-conscious users with an ethic to conserve resources

Easy to forecast resource usage patterns

Subscription Model

Usage measures are difficult to define, monitor, or verify

Weak managerial controls on usage patterns

Proprietary, high value-added services

Favored by users who are less conscious of resource costs and the need to conserve

Hard to forecast resource usage patterns

Acknowledgments

The author is grateful to Meeta Yadav for her research assistance, John Killela for his encouragement, and the helpful comments of three anonymous reviewers.

** Trademark or registered trademark of priceline.com Incorporated, Google Inc., Ultramercial, Inc., or Overture Services Inc.

Cited references

- (1.) A Nation Online, U.S. Department of Commerce (February 2002).
- (2.) Surveying the Digital Future, The UCLA Internet Report, UCLA Center for Communication Policy (January 2003).
- (3.) J. B. Horrigan and L. Raine, Counting on the Internet, The Pew Internet and American Life Project (December 2002).
- (4.) V. Berstis, Fundamentals of Grid Computing, IBM Redbook (October 2002).
- (5.) M. Milenkovic, S. H. Robinson, R. C. Knauerhase, D. Barkai, S. Garg, V. Tewari, T. A. Anderson, and M. Bowman, "Toward Internet Distributed Computing," Computer, 36, No. 5, 38-46 (May 2003).
- (6.) I. Foster, C. Kesselman, J. M. Nick, and S. Tueckel, "The Physiology of the Grid: An Open Grid Services Architecture for Distributed Systems Integration," <http://www.globus.org/research/papers/ogsa.pdf> (June 22, 2002).
- (7.) M. Rappa, "Business Models on the Web," Managing the Digital Enterprise, <http://digitalenterprise.org> (May 2003).
- (8.) M. Vitale, P. Weill, and J. Ross, "From Place to Space: Migrating to Profitable Electronic Commerce Business Models," Center for Information Systems Research Working Paper No. 324, Massachusetts Institute of Technology (June 2002).
- (9.) A. Osterwalder and Y. Pigneur, "An e-Business Model Ontology for Modeling e-Business," Proceedings of the 15th Bled Electronic Commerce Conference, 1-12, Bled, Slovenia (June 2002).
- (10.) P. Timmers, "Business Models for Electronic Markets," Electronic Markets, 8, No. 2, 3-8 (1998).
- (11.) P. Bambury, "A Taxonomy of Internet Commerce," First Monday, Issue 3.10 (1998).

(12.) FAQs: IBM e-Business On Demand, IBM Global Services (March 2002), <http://www-1.ibm.com/services/strategy/files2/FAQ.ondemand.pdf>

(13.) R. Jernigan, "Interview: Irving Wladawsky-Berger Explains Grid Computing," IBM Linux Portal, <http://www-1.ibm.com/linux/news31.shtml> (March 2002).

(14.) e-Business On Demand: The Next Wave of IT Services, IBM Global Services, <http://www-1.ibm.com/services/ondemand/files/nextwave.pdf> (2002).

(15.) L. Siegele, "At Your Service," The Economist, May 10, 2003.

(16.) T. Eilam, K. Appleby, J. Breh, G. Breiter, H. Daur, S. A. Fakhouri, G. D. H. Hunt, T. Lu, S. D. Miller, L. B. Mummert, J. A. Pershing, and H. Wagner, "Using a Utility Computing Framework to Develop Utility Systems," IBM Systems Journal 43, No. 1, 97-120 (2003, this issue)

Accepted for publication September 5, 2003.

Michael A. Rappa North Carolina State University, Box 7229, Raleigh, NC 27695 (michael_rappa@ncsu.edu). Dr. Rappa is the Alan T. Dickson Distinguished University Professor of Technology Management and Director of the Open Courseware Laboratory at North Carolina State University. Prior to joining NCSU for nine years he was a professor at the Massachusetts Institute of Technology. In addition to overseeing the Open Courseware Lab, Dr. Rappa is co-director of North Carolina State's E-Commerce initiative. He is the creator of the award-winning Web site, Managing the Digital Enterprise, digitalenterprise.org, one of the Web's most extensive and widely used sites devoted to understanding the digital world and a definitive source for research on Internet business models.

COPYRIGHT 2004 All Rights Reserved.

COPYRIGHT 2004 Gale Group

First Hit Fwd Refs
End of Result Set

9/910848

☐ Generate Collection ☐ Print

L2: Entry 1 of 1

File: USPT

Mar 12, 2002

US-PAT-NO: 6356937

DOCUMENT-IDENTIFIER: US 6356937 B1

TITLE: Interoperable full-featured web-based and client-side e-mail system

DATE-ISSUED: March 12, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Montville; David	Chicago	IL	60657	
Montville; Adam	Chicago	IL	60657	

APPL-NO: 09/ 347361 [PALM]

DATE FILED: July 6, 1999

INT-CL: [07] G06 F 13/00

US-CL-ISSUED: 709/206; 709/219, 709/329

US-CL-CURRENT: 709/206; 709/219, 709/329
218, 709/329FIELD-OF-SEARCH: 709/201, 709/202, 709/203, 709/204, 709/205, 709/206, 709/217,
709/219, 709/223, 709/225, 709/227, 709/328, 709/329

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected Search ALL Clear

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<input type="checkbox"/> 5638446	June 1997	Rubin	380/25
<input type="checkbox"/> 5809242	September 1998	Shaw et al.	709/217
<input type="checkbox"/> 5850442	December 1998	Muftic	
<input type="checkbox"/> 5877759	March 1999	Bauer	345/339
<input type="checkbox"/> 5961602	October 1999	Thompson et al.	709/229
<input type="checkbox"/> 5974446	October 1999	Sonnenreich et al.	709/204
<input type="checkbox"/> 6096096	August 2000	Murphy et al.	717/11
<input type="checkbox"/> 6108687	August 2000	Craig	709/203

OTHER PUBLICATIONS

Screen Print of <ziplip.com>, "The ZipLip Solution", dated Jun. 2, 1999, 9 pages (numbered).

Screen Print of <hushmail.com>, "hushmail", dated May 28, 1999, 7 pages (hand numbered).

Microsoft, "Planning and Deploying Outlook Web Access", copyright 1999, 23 pages, hand numbered.

ART-UNIT: 2154

PRIMARY-EXAMINER: Vu; Viet D.

ATTY-AGENT-FIRM: Chapman and Cutler

ABSTRACT:

A full-featured e-mail system is used in both Internet-based and client-side (personal computer) forms. In each form, either basic e-mail service is provided to system subscribers or a secure, premium service with authentication, concealment, integrity, and non-repudiation functions for electronic messaging services is provided. In either form and at either level of service, subscribers can work off-line on their own computers with proprietary software loaded or, alternatively, on-line on any computer with an Internet connection. The system is interoperable, to preserve security, with all S/MIME compliant software applications, even for those users not subscribing to a service implementing the disclosed system. Digital certificates can be provided as a security service of the disclosed system, rather than requiring a second source with separate verification procedures. As additional optional features, the subscriber can control compression of outgoing attachment files, rather than having that function absent or operate in some automatic way. Decompression of such file attachments when received occurs automatically for subscribers, without having to invoke a different program or system. Interactive help features, book hierarchy uniformity for messages, accounts, certificates, virus warnings, and dual naming capability are also provided and available to subscribers in both the Web-based and the client-side application forms disclosed herein, and in both basic and premium service levels.

10 Claims, 14 Drawing figures

First Hit Fwd Refs☐ **Generate Collection** **Print**

L1: Entry 1 of 2

File: USPT

Mar 26, 2002

US-PAT-NO: 6363363

DOCUMENT-IDENTIFIER: US 6363363 B1

TITLE: System, method and article of manufacture for managing transactions in a high availability system

DATE-ISSUED: March 26, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Haller; Daniel R.	Menlo Park	CA		
Nguyen; Trong	Sunnyvale	CA		
Rowney; Kevin T. B.	San Francisco	CA		
Berger; David A.	San Mateo	CA		
Kramer; Glenn A.	San Francisco	CA		

ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
VeriFone, Inc.	Santa Clara	CA			02

APPL-NO: 09/ 382718 [PALM]

DATE FILED: August 24, 1999

PARENT-CASE:

This application is a continuation of Ser. No. 08/664,634, filed Jun. 17, 1996, now U.S. Pat. No. 6,026,379.

INT-CL: [07] H04 L 12/00

US-CL-ISSUED: 705/40; 705/26, 705/27, 705/77, 709/203, 709/230, 709/245, 709/250, 709/249

US-CL-CURRENT: 705/40; 705/26, 705/27, 705/77, 709/203, 709/230, 709/245, 709/249, 709/250

FIELD-OF-SEARCH: 705/77, 705/80, 705/26, 705/27, 705/29, 705/34, 705/40, 709/203, 709/219, 709/227, 709/230, 709/238, 709/245, 709/250, 709/249

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected**Search ALL****Clear**

PAT-NO

ISSUE-DATE

PATENTEE-NAME

US-CL

5163098

November 1992

Dahbura

380/24

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	US-CL
0640945	August 1993	EP	
96/23284	January 1995	WO	
98/13796	September 1996	WO	
98/13797	September 1996	WO	

OTHER PUBLICATIONS

PC World, v12, n6, p120 (4) "Trach your transactions with a check register", Jun. 1994.*
Purcell, Lea, "Turning the heat on check fraud", pp. 64.*
Bernstein et al. Digital Equipment, "STDL-A portable language for transaction processing" pp. 218-229.*
Multimedia and Videodisc Monitor, "Verifone to introduce . . . purchasing system", Oct. 1, 1995.

ART-UNIT: 2767

PRIMARY-EXAMINER: Peeso; Thomas R.

ABSTRACT:

An architecture is disclosed allowing a server to communicate bidirectionally with a gateway over a first communication link, over which service requests are initiated by the server. In response to a transaction received from a host legacy system at the gateway, the gateway parses one or more transaction response values from the host message, maps the one or more transaction response values to a canonical response code, and stores the canonical response code in a transaction log. According to a broad aspect of a preferred embodiment of the invention, communication networks that employ transactions between applications must effectively manage transactions that flow over the network. In addition, networking systems must also detect counterfeit transactions, especially, when the networking systems are utilized for financial transactions. An active, on-line database is utilized as a transaction log to track original requests, valid retries and detect fraudulent transactions. The transaction log serves as a memory cache where the received host response is returned to a valid retry transaction should the original response fail to reach a server because of a communications problem.

24 Claims, 109 Drawing figures

First Hit Fwd Refs
End of Result Set

☐ **Generate Collection** **Print**

L1: Entry 2 of 2

File: USPT

Feb 15, 2000

US-PAT-NO: 6026379

DOCUMENT-IDENTIFIER: US 6026379 A

TITLE: System, method and article of manufacture for managing transactions in a
high availability system

DATE-ISSUED: February 15, 2000

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Haller; Daniel R.	Menlo Park	CA		
Nguyen; Trong	Sunnyvale	CA		
Rowney; Kevin T. B.	San Francisco	CA		
Berger; David A.	San Mateo	CA		
Kramer; Glenn A.	San Francisco	CA		

ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
VeriFone, Inc.	Santa Clara	CA			02

APPL-NO: 08/ 664634 [PALM]

DATE FILED: June 17, 1996

INT-CL: [07] H04 N 1/413

US-CL-ISSUED: 705/34; 705/26, 705/27, 705/39

US-CL-CURRENT: 705/34; 705/26, 705/27, 705/39

FIELD-OF-SEARCH: 705/26, 705/27, 705/39, 705/44, 705/34

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected **Search ALL** **Clear**

PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
<input type="checkbox"/> <u>3651511</u>	March 1972	Andrews et al.	340/324
<input type="checkbox"/> <u>3956615</u>	May 1976	Anderson et al.	235/61.7B
<input type="checkbox"/> <u>4277837</u>	July 1981	Stuckert	364/900
<input type="checkbox"/> <u>4303904</u>	December 1981	Chasek	340/23

<input type="checkbox"/> <u>4454414</u>	June 1984	Benton	235/379
<input type="checkbox"/> <u>4614861</u>	September 1986	Pavlov et al.	235/380
<input type="checkbox"/> <u>4630201</u>	December 1986	White	364/408
<input type="checkbox"/> <u>4689478</u>	August 1987	Hale et al.	235/380
<input type="checkbox"/> <u>4766293</u>	August 1988	Boston	235/379
<input type="checkbox"/> <u>4799156</u>	January 1989	Shavit et al.	364/401
<input type="checkbox"/> <u>4859837</u>	August 1989	Halpern	235/380
<input type="checkbox"/> <u>4877950</u>	October 1989	Halpern	235/487
<input type="checkbox"/> <u>4906828</u>	March 1990	Halpern	235/379
<input type="checkbox"/> <u>4935962</u>	June 1990	Austin	380/25
<input type="checkbox"/> <u>4968873</u>	November 1990	Dethloff et al.	235/380
<input type="checkbox"/> <u>4992646</u>	February 1991	Collin	235/375
<input type="checkbox"/> <u>4992940</u>	February 1991	Dworkin	705/26
<input type="checkbox"/> <u>5016274</u>	May 1991	Micali et al.	380/23
<input type="checkbox"/> <u>5030806</u>	July 1991	Collin	235/375
<input type="checkbox"/> <u>5175416</u>	December 1992	Mansvelt et al.	235/379
<input type="checkbox"/> <u>5221838</u>	June 1993	Gutman et al.	235/379
<input type="checkbox"/> <u>5283819</u>	February 1994	Glick et al.	379/90
<input type="checkbox"/> <u>5297030</u>	March 1994	Vassigh	705/25
<input type="checkbox"/> <u>5420405</u>	May 1995	Chasek	235/379
<input type="checkbox"/> <u>5440634</u>	August 1995	Jones et al.	380/24
<input type="checkbox"/> <u>5442791</u>	August 1995	Wrabetz et al.	395/650
<input type="checkbox"/> <u>5448045</u>	September 1995	Clark	235/382
<input type="checkbox"/> <u>5452352</u>	September 1995	Talton	379/355
<input type="checkbox"/> <u>5453601</u>	September 1995	Rosen	235/379
<input type="checkbox"/> <u>5455407</u>	October 1995	Rosen	235/380
<input type="checkbox"/> <u>5459304</u>	October 1995	Eisenmann	235/380
<input type="checkbox"/> <u>5461217</u>	October 1995	Claus	235/380
<input type="checkbox"/> <u>5465206</u>	November 1995	Hilt et al.	364/406
<input type="checkbox"/> <u>5465291</u>	November 1995	Barrus et al.	379/67
<input type="checkbox"/> <u>5475826</u>	December 1995	Fischer	395/182.04
<input type="checkbox"/> <u>5476259</u>	December 1995	Weingardt	273/85
<input type="checkbox"/> <u>5478993</u>	December 1995	Derksen	235/380
<input type="checkbox"/> <u>5485510</u>	January 1996	Colbert	379/145
<input type="checkbox"/> <u>5506832</u>	April 1996	Arshi	370/241
<input type="checkbox"/> <u>5557518</u>	September 1996	Rosen	364/408
<input type="checkbox"/> <u>5590038</u>	December 1996	Pitroda	385/241
<input type="checkbox"/> <u>5590197</u>	December 1996	Chen et al.	380/24

<input type="checkbox"/>				
<input type="checkbox"/>	<u>5671279</u>	September 1997	Elgamal	380/23
<input type="checkbox"/>	<u>5671280</u>	September 1997	Aucsmith et al.	380/30
<input type="checkbox"/>	<u>5677955</u>	October 1997	Doggett et al.	380/24
<input type="checkbox"/>	<u>5703949</u>	December 1997	Rosen	380/21
<input type="checkbox"/>	<u>5715314</u>	February 1998	Payne et al.	380/24
<input type="checkbox"/>	<u>5729594</u>	March 1998	Klingman	379/93.12
<input type="checkbox"/>	<u>5742845</u>	April 1998	Wagner	395/831
<input type="checkbox"/>	<u>5768385</u>	June 1998	Simon	380/24
<input type="checkbox"/>	<u>5793966</u>	December 1995	Amstein et al.	395/200.01
<input type="checkbox"/>	<u>5809144</u>	September 1998	Sirbu et al.	380/25

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	US-CL
0 172 670 A2	February 1986	EP	
0 256 768 A3	February 1988	EP	
0 256 768 A2	February 1988	EP	
0 326 699	August 1989	EP	
0 363 122 A3	April 1990	EP	
0 363 122 A2	April 1990	EP	
0 416 482	March 1991	EP	
0 527 639	February 1993	EP	
0 256 768 B1	March 1994	EP	
0 363 122 B1	December 1994	EP	
0 658 862	June 1995	EP	
0 666 681	August 1995	EP	
0 668 579	August 1995	EP	
2 251 098	June 1992	GB	
WO 91/16691	October 1991	WO	
WO 93/08545	April 1993	WO	

OTHER PUBLICATIONS

Marvin Sirbu et al.; "NetBill: An Internet Commerce System Optimized for Network Delivered Services"; IEEE CompCon Conference (Mar., 1995).
 Main webpage at www.amazon.com on Jul. 29, 1988.
 "Multipurpose Internet Mail Extensions: MIME" with RFC 2045, 2046, and 2047 on the Internet at www.oac.uci.edu; dated 1996.
 Pages from the Internet Shopping Network website at www.isn.com with the titles of "Home Page"; Whoe Are We; Member Privacy & Security; Types of Membership; Payment Methods; Free Membership.
 Warr, Michael. "Business Wants Telecom of the Future--Today," Telephony's SUPERCOM Wrap-up, pp. 12-13, Apr. 1991.
 Muller, R., "Lon-Das Universelle Netzwerk, Teil 1." Elektronik., vol. 40, No. 22, Oct. 29, 1991, Munchen De, pp. 59-69, XP000268228.
 Snow, C.R. et al: "Simple Authentication" Softeare Practice & Experience., vol. 24,

- No. 5, May 1994, Chichester GB, pp. 437-447, XP0006555455, pp. 440-441.
Stalling
Anderson, R. et al. "NetCard--a Practical Electronic-cash System." International Workshop Proceedings, Security Protocols. International Workshop, Cambridge, UK, Apr. 10-12. p. 49. Xp00203977.
Anderson, R.J., UEPS--A Second Generation Electronic Wallet, (1992) University of Cambridge Computer Laboratory, pp. 411-418.
Bank Systems Technology, SET Tool Kit for Secure Commerce, (May 1996) p. 16.
Bellare et al., iKP--A Family of Secure Electronic Payment Tools, USENIX Association, First UNISEX Workshop on Electronic Commerce, (Jul. 11-12, 1995) pp. 89-106.
Bryant, A., Am I Bid Six? Click to Bid Six!, The New York Times, (Mar. 13, 1996) pp. D1-D6.
Camp et al., Token and Notational Money in Electronic Commerce, USENIX Association, First USENIX Workshop on Electronic Commerce, (Jul. 11-12, 1995), pp. 1-12.
Cox et al., NetBill Security and Transaction Protocol, USENIX Association, First UNISEX Workshop on Electronic Commerce, (Jul. 11-12, 1995) pp. 77-88.
One-Click Software Distribution Via the Web, Cutting Edge, Datamation, (May 1, 1996), p. 16.
Software Taps Net for Supply Data Sharing, Purchasing, EBN, (Apr. 22, 1996), p. 50.

Flohr, U., Electronic Money, Byte, (Jun. 1996), p. 74.
Gifford, et al., Payment Switch for Open Networks, USENIX Association, First USENIX Workshop on Electronic Commerce, (Jul. 11-12, 1995), pp. 69-75.
Gosling, et al., The Java Language Environment a White Paper, Sun Microsystems Computer Company, (May 1995).
Jones, et al., Securing the World Wide Web, Smart Tokens and Their Implementation, World Wide Web Journal, O'Reilly & Associates, Inc., (Dec. 11-14, 1995), pp. 397-406.
Kamens, J., Retrofitting Network Security to Third-Party Applications--The SecureBase Experience, USENIX Associations, INIX Security Symposium IV, (1993) pp. 41-57.
Marshall, M., Banking on the Internet, Communications Week, (May 20, 1996).
Messmer, E., ActiveX Pioneer Pushes a Commerce, Network World, (May 6, 1996) p. 33.

Messmer, E., Edify Soft to Let Banks Open Doors Online, Network World, (May 20, 1996).
Messmer, E., Start-Up Puts Security SOCKS on Window Apps, Network World, (May 20, 1996).
Microsoft and VeriFone Announce Agreement to Deliver Commerce-enabled Internet Retailing Solutions, Microsoft Press Release, (Aug. 5, 1996) pp. 1-3.
Real Security, Mondex Magazine, (Summer 1996) pp. 5-6.
What's Up Doc? That's Inoftainment, Modex Magazine, (Summer 1996) pp. 8-10.
Ready to Go. The Trillion Yen Business, Mondex Magazine, (Summer 1996) pp. 27-29.
Morgan, L., Cashing In: The Rush is on the Make Net Commerce Happen, Internet World, (Feb. 1995), pp. 48-51.
Nash, et al., Vendors Deliver IS-Specific Apps Over the 'Net, News (May 6, 1996) p. 16.
Nee, E., Hatim Tyabji, Upside, (Sep. 1996) pp. 85-93.
Neuman, et al., Requirements for Network Payment: The NetCheque.TM. Perspective, University of Southern California, (1995) pp. 32-36.
Ozer, K., Online Software Stores, PC Magazine, (May 28, 1996), p. 36.
Rodriguez, K., Pushing the Envelope, Communications Week, (May 13, 1996) pp. 37-39.

Rupley, S., Digital Bucks? Stop Here, PC Magazine, (May 28, 1996), pp. 54-60.
Semilof, M., Boosting Web Business, Communications Week, (May 20, 1996) pp. 31-32.
Sibert et al., The DigiBox: A Self-Protecting Container for Information Commerce, First USENIX Workshop on Electronic Commerce, (Jul. 11-12, 1995), pp. 171-183.
Sirbu, et al., NetBill: An Internet Commerce System Optimized for Network Delivered Services, Carnegie Mellon University, (1995) pp. 202-5.

Sliwa, C., Netscape Unveils New 'Net Commerce Offerings, Network World, (May 13, 1996) p. 10.

Singleton, A., Cash on the Wirehead, Byte (Jun. 1995) pp. 71-78.

Tang, et al., A Set of Protocols for Micropayments in Distributed Systems, First USENIX Workshop on Electronic Commerce, (Jul. 11-12, 1995) pp. 107-115.

Thompson, et al., A Secure Public Network Access Mechanism, UNIX Security Symposium, (1992) pp. 227-238.

Trommer, D., ECS Catalog Merges EDI/Net Platforms: Enables Online Ordering in EDI Format Over Net, EBN, (May 20, 1996) p. 54.

Trommer, D., GE/Netscape Form Software Venture: Will Focus on Electronic Commerce Solutions, EBN, (Apr. 22, 1996) p. 54.

Vaughan-Nichols, Steven, XVision Turns a PC Into X Terminal for Unix, VMS Host, Government Computer News, Jul. 8, 1996, pp. 38, 42.

Vincenzetti et al., STEL: Secure TELnet, 5th UNIX Security Symposium, Jun. 5-7, 1995.

Wexler, Joanie, AT&T Sell Insurers on the Web, Network World, May 20, 1996, p. 27.

Wiggins, Richard, Business Browser: A Tool to Make Web Commerce Secure, Internet World, Feb. 1995, pp. 52, 54, 55.

Yacobi, Yacov, Efficient Electronic Money, Official Gazette, Apr. 23, 1996, p. 2976.

Yee et al., Secure Coprocessors in Electronic Commerce Applications, First USENIX Workshop on Electronic Commerce, Jul. 11-12, 1995, pp. 155-169.

ABA Banking Journal, Will SET Kill Card Fraud On the Internet?, Apr. 1996, pp. 237-238.

Advertising Age, Visa Turns to Redgate for Online, CD-ROM Work; Sample the Surf; Checkfree, Cybercash Interact; New on the 'Net; EDS Joins the Cyber-Rush, Jul. 17, 1995, pp. 249-250.

AFX News, Microsoft, American Express Unit Sign Internet Payment System Agreement, Feb. 29, 1996, p. 427.

Agence France Presse, Visa, Mastercard Announce Security Standard for Internet, Feb. 1, 1996, p. 85.

The American Banker, Vendors Ready--and Waiting--for E-Commerce, Feb. 2, 1996, pp. 47-50.

The American Banker, News Analysis: Despite Accord, Hard Work Ahead On Security Standard for Internet, Feb. 2, 1996, pp. 51-53.

The American Banker, Microsoft Signs Visa as a Processor; Pact Gives Banks Alternative to Intuit, Feb. 14, 1996, pp. 528-529.

The American Banker, News Analysis: Beware of Deals Like Verifone-Oracle, Banks Told, Feb. 27, 1996, pp. 443-445.

The American Banker, Amex Accepts SET Protocol For Payments On Internet, Mar. 1, 1996, pp. 382-383.

The American Banker, Encryption Software Firm Adopts On-Line Protocol, Mar. 14, 1996, p. 352.

The American Banker, Frontiers, Mar. 18, 1996, pp. 317-319.

The American Banker, Card Briefs: Novus Supporting SET Payment Protocol, Apr. 2, 1996, p. 235.

The American Banker, If It Has To Do With Data Security, Changes Are This 'Little' Company Is in Involved, Apr. 15, 1996, pp. 156-160.

The American Banker, On the Question of Internet Security, A Three-Sided Debate, Apr. 15, 1996, pp. 161-165.

The American Banker, Web Security Firm To Add MC-Visa Protocol, Apr. 23, 1996, pp. 130-131.

The American Banker, Card Briefs: ICverify Internet Tools To Get SET Protocol, May 3, 1996, p. 53.

The American Banker, Mastercard Official Resigns To Lead Internet Security Firm, May 3, 1996, pp. 54-55.

American Marketplace, Visa-Mastercard Security Agreement: A Green Light For Online Commerce, Feb. 8, 1996, pp. 5-6.

Amusement Business, More 'Digital Homeless' Find Place in Cyberspace; Professionals Not Subscribing To An Online Computer Service, Feb. 12, 1996, pp. 536-537.

AP Online, Cable TV'S Sci-Fi Channel, Jun. 9, 1995, pp. 259-261.
AP Online, Purchases On Net Studied, Jan. 31, 1996, pp. 171-172.
AP Online, AP Top News At 5 a.m. EST Thursday, Feb. 1, 1996, Feb. 1, 1996, pp. 86-88.
AP Online, AP Top News At 6 a.m. EST Thursday, Feb. 1, 1996, Feb. 1, 1996, pp. 89-91.
AP Online, AP Top News At 7 a.m. EST Thursday, Feb. 1, 1996, Feb. 1, 1996, pp. 92-94.
AP Online, AP Top News At 8 a.m. EST Thursday, Feb. 1, 1996, Feb. 1, 1996, pp. 95-97.
AP Online, AP Top News At 9 a.m. EST Thursday, Feb. 1, 1996, Feb. 1, 1996, pp. 115-117.
AP Online, AP Financial News At 9:10 a.m. EST Thursday, Feb. 1, 1996, Feb. 1, 1996, pp. 118-122.
AP Online, AP Top News At 10 a.m. EST Thursday, Feb. 1, 1996, Feb. 1, 1996, pp. 125-127.
AP Online, Standard Found For Web Credit, Feb. 1, 1996, pp. 123-124.
AP Online, AP financial News At 11:10 a.m. EST Thursday, Feb. 1, 1996, Feb. 1, 1996, pp. 107-110.
AP Online, AP Financial News At 3:10 p.m. EST Thursday, Feb. 1, 1996, Feb. 1, 1996, pp. 98-102.
AP Online, AP Financial News At 5:10 p.m. EST Thursday, Feb. 1, 1996, Feb. 1, 1996, pp. 103-106.
AP Online, AP Financial News At 5:20 p.m. EST Thursday, Feb. 1, 1996, Feb. 1, 1996, pp. 111-114.
AP Online, Amer Express Backs Rival Ides, Feb. 29, 1996, pp. 428-429.
AP Worldstream, Financial Pages, Feb. 1, 1996, pp. 128-129.
AP Worldstream, Financial Pages, Feb. 29, 1996, pp. 430-432.
AP Worldstream, A Summary of News From the U.S. Virgin Islands, May 25, 1995, pp. 265-268.
Asia, Inc., Internet Security, May 1996, pp. 64-66.
Asia, Inc., Internet Security, May 1996, pp. 67-69.
Asian Banker, Shopping On the Internet, Mar. 1996, pp. 384-388.
Asian Wall Street Journal, Fraud, Nosy Web Pages Torment Internet Users, Mar. 18, 1996, p. 320.
Asiaweek, Protocols, Cyber Security; How to Head Off the Hackers, Feb. 23, 1996, pp. 489-490.
Associated Press, Cable's Sci-Fi Channel Creates World Wide Web `Honme Page` Jun. 9, 1995, pp. 262-264.
Associated Press, Visa and Mastercard Lead Group to Make Credit Purchases Safe On the Net, Jan. 31, 1996, pp. 173-174.
Associated Press, Visa, MasterCard Resolve Technical Differences For On-Line Credit Transactions, Feb. 1, 1996, pp. 130-131.
Associated Press, American Express Endorses Rivals' Ideal for Secure Online Credit, Feb. 29, 1996, pp. 433-434.
Associated Press, American-Express Endoreses Rivalss' Idea For Secure Online Credit, Mar. 1, 1996, pp. 389-390.
Austin American-Statesman, Standard Proposed For Electronic Verification, Jul. 3, 1995, pp. 251-252.
Austin American-Statesman, Credit Cards To GFet Internet Security; Visa, Mastercard Have Agreed On a Way to Scramble Card Numbers, Feb. 2, 1996, pp. 45-46.
Baltimore Sun, Sun Names former Reporter to lead Move Into Internet; Service Will Offer News and Advertising, Jan. 31, 1996, pp. 175-176.
Banker, Banks Take Charge, Mar. 1996, pp. 396-399.
Banker, Product, Mar. 1996, pp. 400-403.
Banker, Technology, Banks Take Charge, Mar. 1996, pp. 391-394.
Banker, Visa and MasterCard Join Forces to Develop Standards, Mar. 1996, p. 395.
Banker, Credit Card Standards, Apr. 1996, p. 239.
Banking Policy Report, Visa and MasterCard Move to Safeguard Card Transactions on Internet, Mar. 4-18, 1996, pp. 370-371.

Bank Systems & Technology, First Union, Open Market Hit the Internet, May 1995, pp. 269-270.

Black Sun Interactive, 3D PointWorld, Downloading, PointWorld, Apr. 16, 1996, p. 1.

Business Journal-Portland, Taking the Plunge Into On-Line Sales, Feb. 9, 1996, pp. 2-4.

Business Times, SNS Online Service Confident of Success, Nov. 27, 1995, pp. 184-186.

Business Times, Opening Windows to Net Security, Mar. 6, 1996, pp. 362-363.

Business Times, Card, IT Leaders Make Shopping On the Net Safer, Apr. 2, 1996, p. 236.

Business Wire, MasterCard International Goes Live On the Internet; New MasterCard World Wide Web Site Home Page Combines Utility and Imagination, Mar. 27, 1995, pp. 294-296.

Business Wire, Adobe and Netscape to Bring Commercial Publishing to the Internet, Mar. 28, 1995, pp. 291-293.

Business Wire, Emerging U.S. Debit Marker Attracts International Player Jul. 27, 1995, pp. 244-245.

Business Wire, VeriSign Inc. to Provide Digital IDs for Open Market's Secure WebServer; Key Technology for Verifying the Identities of Parties in Electronic Commerce, Aug. 14, 1995, pp. 241-243.

Business Wire, ComNet '96 Explores Electronic Commerce; Business On the Internet the Focus of Many Conference Sessions, Jan. 4, 1996, pp. 181-183.

Business Wire, "Computer Within a Floppy Disk" Puts Secure Electronic Commerce In the Palm of Your Hand, Jan. 17, 1996, pp. 179-180.

Business Wire, RSA Data Security, Inc. Establishes Japanese Subsidiary Company to Market RSA Encryption Technology to Developers in Japan, Feb. 8, 1996, pp. 7-8.

Business Wire, VeriSign to Provide Digital ID Services for FTP Software's Esplanade (TM) Web Server for Windows NT; Alliance Will Ensure Secure Electronic Transactions for Users of New Web Servers, Feb. 12, 1996, pp. 538-540.

Business Wire, First Data and Netscape Offering Internet Payment Processing Service; New Service Available Now, Feb. 20, 1996, pp. 500-501.

Business Wire, RSA Announces Support for SET Payment Standard Across Entire Product Line; World's Most Popular Encryption Solution Provider Now Supports VISA/MasterCard Standard for Secure Payments Over the Internet, Mar. 4, 1996, pp. 372-373.

Business Wire, Certicom--Special Task Group to Review Secure Electronic Transaction Protocol Developed by Visa and MasterCard--Sherry E. Shannon Appointed Chair of the New Task Group, Mar. 15, 1996, pp. 340-341.

Business Wire, Panel of Electronic Commerce Experts to Reveal "What Gates and McNealy Won't Tell You About Electronic Commerce"--iCat Corp. Convenes Panel of Pioneers to Discuss the Hype and Reality at New York Trade Show, Mar. 26, 1996, pp. 289-290.

Business Wire, Major Flaws Seen in Visa/MasterCard Security Plan for Internet Commerce; Network Security Expert Says RSA Encryption and Authentication Standard Leaves Consumers Vulnerable to Hackers, Apr. 16, 1996, pp. 154-155.

Business Wire, ICVERIFY to Incorporate SET Specification in its Software Solutions; SET Specification Provides Long Awaited Internet Security for Both Customers and Merchants, Apr. 26, 1996, pp. 125-126.

Business Wire, John Gould Joins Terisa Systems As Chief Executive Officer, Apr. 29, 1996, pp. 102-103.

Business Wire, IBM Leads Industry With Comprehensive Strategy, Technologies for Electronic Shopping, Secure Transactions, May 1, 1996, pp. 70-75.

Business Wire, L.L. Bean Signs Up With IBM; IBM Announces New Products, Services that Make Internet Real for Business, May 1, 1996, pp. 76-80.

Business Wire, Electronic Commerce Just Got Real; NETCOM, Federal Express, Open Market and CheckFree Join iCat to Discuss Breakthrough Electronic Commerce Solution, May 2, 1996, pp. 59-61.

Calgary Herald, Visa and MasterCard Agree on Standard, Feb. 2, 1996, pp. 54-55.

Calgary Herald, 'Net Security Hinders Commerce, Apr. 4, 1996, pp. 228-229.

Canada newswire, Attention Business/Technology Editors: Special Task Group to Review Secure Electronic Transaction Protocol Developed by Visa and MasterCard, Mar. 15, 1996, pp. 342-343.

CardFAX, A Joint Technical Standard for Security Credit Card Transactions Over the Internet, Feb. 2, 1996, p. 56.

Card News, Security Advances May Improve, Not Perfect, On-Line Transactions, Feb. 5, 1996, pp. 28-30.

Card News, Amex, First Data Initiate On-Line Purchase Efforts, Mar. 4, 1996, pp. 374-375.

Card News, Card News Briefs: Discovery Joins Security Rush, Apr. 1, 1996, p. 240.

Card News, Cards on the Web Addressed, Apr. 29, 1996, pp. 104-105.

Cards International, VeriSign Secures Net Deals, Jul. 20, 1995, pp. 246-247.

Cards International, International: MC and Visa Co-Operate On Internet Specs, Feb. 14, 1996, 530-531.

Cards International, Amex Set to Support Security Specs, Mar. 12, 1996, pp. 356-357.

Charleston Gazette, Secure Internet Credit Code Unveiled, Feb. 2, 1996, pp. 57-59.

U.P.I., Checkfree Partnering With Cybercash, Jul. 19, 1995, p. 248.

Chicago Sun-Times, Visa, MasterCard Agree On Online Security, Feb. 2, 1996, pp. 60-61.

Christian Science Monitor, Visa, MasterCard Tackle Internet Security, Feb. 2, 1996, p. 80.

Columbus Dispatch, Roving Bandits Make Buying Risky Business, Nov. 6, 1994, pp. 312-313.

COMLINE Daily News from Korea, MasterCard, Visa Agree to a Single Security Standard, Feb. 7, 1996, p. 11.

Communication News, Business Banks Its Future On Electronic Commerce; Strategies Being Pursued for Secure Financial Transactions on the Internet; Netcomm Update; Industry Trend or EventCom, Apr. 1996, pp. 241-243.

CommunicationsWeek, MCI Offers Secure Transaction Service, Oct. 2, 1995, pp. 229-230.

CommunicationsWeek, In Brief; Charge It On the 'Net, Feb. 5, 1996, p. 31.

CommunicationsWeek, On-Line Payment Scheme Arrives, Feb. 26, 1996, pp. 456-458.

CommunicationsWeek, In Brief; Amex 'Set' For Internet, Mar. 4, 1996, p. 376.

CommunicationsWeek, Safety On the 'Net--Can Encryption Offer Peace of Mind to Nervous Network Managers, Mar. 25, 1996, pp. 299-303.

CommunicationsWeek, Tandem, VLSI Partner to Develop Security Chips for Commercial Use, Apr. 15, 1996, pp. 166-167.

CommunicationsWeek, Shop Till You Drop With the JEPI Standard, Apr. 22, 1996, pp. 134-135.

CommunicationsWeek, Terisa, to Add SET to Web Software, Apr. 29, 1996, pp. 106-107.

CommunicationsWeek, Netscape Adds Electronic-Commerce Apps, May 13, 1996, pp. 10-11.

CommunicationsWeek, Internet Security--A Moving Target, May 13, 1996, pp. 12-15.

Computer Conference Analysis Newsletter, UniForum; Conference On Unix and Open Systems With Focus On the Internet; Industry Trend or Event, Feb. 26, 1996, pp. 459-479.

Computer Connection, Telecom Decency Act Draws Cheers, Jeers and Fears, Feb. 10, 1996, pp. 549-557.

Computer Connection, Internet Security Standards Agreement, Feb. 10, 1996, pp. 558-559.

Computergram International, Microsoft Confounded: Visa-MasterCard Spec Free, Feb. 2, 1996, p. 62.

Computergram International, First Data, Netscape Jointly Deliver First Real-Time On-Line Credit, Apr. 11, 1996, p. 223.

Computer Reseller News, Terisa Systems Enters Channel With Security Products, Apr. 22, 1996, pp. 136-137.

Computer Shopper, AT&T Offers Low-Tech Protection for Internet: No-Deductible Insurance for Online Buyers, May, 1996, pp. 81-82.

Computer Technology Review, Digital Signatures Keep Cyberstreets Safe for Shoppers, Feb. 1996, pp. 132-134.

Computer Weekly, Web Takes the Credit; Visa, MasterCard Join Forces to Develop Secure Payment Systems for Electronic Commerce; Company Business and Marketing, Feb. 8, 1996, pp. 9-10.

ComputerWorld, News Shorts, Feb. 5, 1996, pp. 32-33.

ComputerWorld, Microsoft Provides Rapid Net Deployment Ability, Mar. 18, 1996, pp. 321-323.

ComputerWorld, Briefs, Mar. 18, 1996, p. 324.

ComputerWorld, Predictions, Apr. 29, 1996, pp. 108-110.

ComputerWorld, Credit-Card Authorization Set For Net, May 13, 1996, pp. 16-17.

Corporate EFT Report, MasterCard, Visa to Combine Internet Security Standards, Feb. 7, 1996, pp. 12-13.

Corporate EFT Report, Products Could Spur On-Line Transactions, Mar. 6, 1996, pp. 364-365.

Corporate EFT Report, Amex Eyes Internet Security, Mar. 6, 1996, p. 366.

Corporate EFT Report, Corporate EFT Report News Briefs, Apr. 3, 1996, pp. 230-231.

Credit Card Management, Internet Commerce Gets A Boost, Mar. 1996, pp. 404-405.

Credit Card News, Electronic Commerce Gets a Boost, Feb. 15, 1996, pp. 526-527.

Daily Mail, Now Spending Cuts Are On the Cards, Money Mail, Feb. 7, 1996, pp. 14-15.

Daily Telegraph, Card Guard Makes It Safer to Cybershop, Feb. 2, 1996, p. 63.

Daily Telegraph, Innovations: Codes to Beat the Criminal Internet, Feb. 13, 1996, pp. 534-535.

Datamation, Microsoft Plays Internet Catch-U. Microsoft & the Enterprise: I-Nets; Company Business and Marketing; Cover Story, Mar. 15, 1996, pp. 344-348.

Des Moines Register, Safe Shopping On-Line; Card Associations Agree On Internet Security, Feb. 17, 1996, pp. 520-522.

Digital Media, Turning the Page; MCI Switches From News Corp to the Microsoft Network; Letter; Company Business and Marketing Column, Mar. 12, 1996, pp. 358-360.

Discount Merchandiser, Secure Electronic Transactions, Mar. 1996, pp. 406-407.

DM News, Open Markets Offers Interent Security; Clients Can Get On the World Wide Web For Less Than \$1,000, Apr. 3, 1996, pp. 281-282.

DM News, Mainstream Alternatives For Adveritisers; Business Wants to be Visible; Cybercitizens Want to Buy, Feb. 12, 1996, pp. 543-545.

DM New, Canadian Big Guns Set Sights On Skittish Cybershoppers; St. Remy Multimedia, Cogco Cable in Quadruple Play, Feb. 19, 1996, pp. 506-508.

DM News, IBM's Commerical Online Service Will Build DBs, Track Spending, Feb. 19, 1996, pp. 509-510.

Denver Post, On-Line Car Dealer Rings Up 57 Sales In Four Months, Feb. 10, 1995, pp. 299-300.

dot.COM, Internet Data's Payment Service, Mar. 1, 1996, p. 408.

Edge: Work-Group Computing Report, Digital ID: Verisign Inc. To Provide Digital IDS For Open Market's Secure Webserver; Key Technology For Verifying the Identities of Parties In Electronic Commerce, Aug. 21, 1995, pp. 236-237.

Edge: Work-Group Computing Report, E-Commerce: IBM Leads Industry With Comprehensive Strategy, Technologies for Electronic Commerce; Electronic Shopping , Secure Transactions, May 6, 1996, pp. 48-52.

EDI News, MasterCard, Visa To Combine Internet Security Standards, Feb. 19, 1996, pp. 511-512.

EDP Weekly, Visa, MasterCard Announce Single Technical Standard To Safeguard Payment Card Purchases on Internet, Feb. 12, 1996, p. 546.

EDP Weekly, American Express To License Microsoft Software To Help Secure Transactions Via Internet, Mar. 11, 1996, p. 361.

EDP Weekly, ANSI Committee Creates Special Task Group To Review Secure Electronic Transaction Protocol, Mar. 25, 1996, p. 304.

EDP Weekly, Network Security Expert Notes Major Flaws in Visa/MasterCard Security Plan, Apr. 22, 1996, p. 140.

EFT Report, MasterCard, Visa To Combine Internet Security Standards, Feb. 14, 1996,

pp. 532-533.

Electronic Buyer's News, EC Providers Take On Security--Visa, MC Announce Transaction Standard; GE Intros B-to-B Solution, Feb. 12, 1996, pp. 547-548.

Electronic Buyer's News, SET Controversy Flares Up--Insiders Debate Integrity Of Proposed Standard, Apr. 29, 1996, pp. 113-115.

Electronic Engineering Times, Credit-Card Firms Agree On Security, Feb. 5, 1996, p. 34.

Electronic Engineering Times, E-Cash Coming? Bank On It, Feb. 19, 1996, pp. 513-516.

Electronic Engineering Times, Secure Internet Transactions Seen, Feb. 26, 1996, pp. 480-481.

Electronic Engineering Times, Copyright Protection Moves Into Digital Age, Mar. 18, 1996, pp. 325-327.

Electronic Engineering Times, Form Factors Figures Into Security Debate, Apr. 29, 1996, pp. 111-112.

Electronic Marketplace Report, Visa, MasterCard Announce Standard For Securing Internet Transactions, Feb. 6, 1996, pp. 17-18.

Electronic Messaging News, Visa, MasterCard Combine Standards, Feb. 7, 1996, p. 16.

Electronic Messaging News, MasterCard, Visa In Internet Pact, Feb. 26, 1996, p. 482.

Electronic Payments International, Ingenico Buys Innovatron Data Systems, Mar. 1996, pp. 409-410.

Electronic Payments International, Getting All Set For On-Line Commerce, Mar. 1996, pp. 411-412.

Electronic Payments International, The Growing Impact of the Internet, Mar. 1996, pp. 413-415.

Electronic Payments International, Telefonica Makes the Right Calls Before SET, Apr. 1996, pp. 244-245.

Electronic Payments International, Consortium Explores Internet Payments, Apr. 1996, pp. 246-247.

Electronic Payments International, Telefonica Makes the Right Calls Before SET, Apr. 1996, pp. 248-249.

Electronic Payments International, Consortium Explores Internet Payments, Apr. 1996, pp. 250-251.

Exchange, Novell Expands Networked Application and Electronic Commerce Offerings, Mar. 22, 1996, pp. 315-316.

Extel Examiner, Microsoft, American Express Unit Sign Internet Payment System, Feb. 29, 1996, p. 435.

FDCH Political Transcripts, The National Consumers League Holds a News Conference on Combatting Fraud on the Internet; Washington, D.C., Feb. 27, 1996, pp. 446-455.

Federal Document Clearing House Congressional Testimony, Testimony Oct. 17, 1995

Eugene Ludwig Comptroller Office of the Comptroller of the Currency House Banking Financial Institutions and Consumer Credit Bank Consolidation and Interstate Mergers, Oct. 17, 1995, pp. 214-226.

Federal News Service, Prepared Testimony of Eugene A. Ludwig Controller of the Currency Before the House Committee on Banking and Financial Services Subcommittee on Financial Institutions, Oct. 17, 1995, pp. 195-205.

Federal News Service, Prepared Statement of Joel S. Lisker Senior Vice President, Security and Risk Management Mastercard International Incorporated Before the House Committee on Banking and Financial Services, Apr. 15, 1996, pp. 168-172.

Federal News Service, Hearing of the House Banking and Financial Services Committee, Apr. 15, 1996, pp. 173-216.

Financial Post, Reaching Out on the Electronic Highway, Mar. 14, 1996, pp. 353-355.

Financial Post, Race on to Come Up With Web Payment System, Apr. 27, 1996, pp. 122-124.

Financial Times, Credit Card Groups to Co-Operate on Internet Security, Feb. 2, 1996, p. 64.

Fresno Bee, Credit Firms Set Internet Security Code, Feb. 2, 1996, p. 65.

Gazette (Montreal), Digital Sermon Packs Em In: 1,100 From Business World listen Raptly to Technoguru's Generalities, Apr. 18, 1996, pp. 149-151.

Gazette (Montreal), Bell Global Has High Hopes for Business Network, Apr. 19, 1996, pp. 147-148.

Houston Chronicle, Firms Back Cyberspace Verification System, Jun. 26, 1995, pp. 253-256.

Houston Chronicle, Firms Back Cyberspace Verification System, Jun. 26, 1995, pp. 255-256.

Independent, In Brief: Amex and Microsoft Sign Internet Deal, Mar. 1, 1996, p. 416.

Industry Week, Move Over China, Caught In the Web, May 1, 1995, p. 271.

Information & Interactive Services Report, Microsoft, Wal-Mart Pact Aims for Online Bargain-Hunters, Feb. 23, 1996, pp. 491-492.

InformationWeek, Intranet Tools, E-Mail on the Net to Debut--Major Announcements Expected at Internet World, Electronic Messaging Association Conferences, Apr. 22, 1996, pp. 142-143.

InformationWeek, Cisco Places \$4 Billion Network Bet--StrataCom Buy Seen Extending ATM, Tying Switching and Routing, Apr. 29, 1996, pp. 116-117.

InformationWeek, Netscape's Corporate Push Grows--CompuServe Tie-in Puts Groupware on Internet, May 13, 1996, p. 27.

InformationWeek, In Short; Terisa Names CEO, May 13, 1996, p. 29.

InfoWorld, National Semiconductor's PersonaCard; Card Holds Key to On-Line Security, Nov. 14, 1994, pp. 310-311.

InfoWorld, Standards; Adapt or Die: Internet Standards May Always Be In Flux, Nov. 6, 1995, pp. 187-192.

InfoWorld, At Deadline, Feb. 5, 1996, pp. 35-36.

InfoWorld, RSA Sale May Improve Security, Apr. 22, 1996, p. 144.

InfoWorld, Pipeline, Apr. 22, 1996, p. 145.

InfoWorld, Internet Servers; Netscape Antes Up for Commerce, May 13, 1996, pp. 30-31.

InfoWorld, IBM, HP Preview 'Net products Aimed On-Line Commerce, May 13, 1996, p. 33.

InfoWorld, Web Page Authoring Tool; Internet Creator Builds Sites One Paragraph at a Time; No Need to Master HTML; Tool Enables On-Line Commerce, May 13, 1996, pp. 35-37.

InformationWeek, Europe, Oct. 2, 1995, pp. 231-234.

Interactive Daily, 4. Cyberspace Security Bolstered by Pact, Feb. 2, 1996, p. 68.

Interactive Daily, 5. Microsoft Allies With American Express, Mar. 1, 1996, p. 417.

Interactive Marketing News, Mastercard and Visa Reach Agreement on Security Protocols, Feb. 16, 1996, pp. 523-524.

International Herald Tribune, A Giant Leap for Credit Cards? System to Protect Payments on Internet is Unveiled, Feb. 2, 1996, pp. 66-67.

Investor's Business Daily, The Electronic Wallet: Secure Payment Methods Sought for Internet, Dec. 8, 1994, pp. 305-307.

Los Angeles Times, The Cutting Edge: Special Report/Hot Tips; What's Coming, When, and Why It's a Big Deal; Next Year Could Bring Start Of On-Line Profits, Dec. 18, 1994, pp. 303-304.

Los Angeles Times, Technology, Feb. 1, 1996, p. 139.

M2 Presswire, Adobe and Netscape to bring Commercial Publishing to the Internet (C) 1994-1995 M2 Communications LTD, Mar. 31, 1995, pp. 283-285.

M2 Presswire, Verisign, Inc: VeriSign Inc to Provide Digital IDs for Open Market's Secure WebServer, Aug. 16, 1995, pp. 238-240.

M2 Presswire, Rednet: EDI for the Apple Macintosh and Power PC, Oct. 24, 1995, pp. 193-194.

M2 Presswire, Visa Intl: Security Specifications for Card Transactions on Internet Combined into One Standard, Feb. 1, 1996, pp. 140-141.

M2 Presswire, First Data: FD and Netscape Offering Internet Payment Processing Service New Service Available Now, Feb. 21, 1996, pp. 495-496.

M2 Presswire, Visa: Visa and MasterCard Welcome American Express to Their Internet

Payment System, Mar. 1, 1996, pp. 418-419.

M2 Presswire, Credit Card Research Group: Cards to Make a Clean Sweep of the Cybermarket, Mar. 1, 1996, pp. 420-421.

M2 Presswire, Racal Airtech: Racal Supports the Visa/MasterCard Secure Electronics Transactions, (SET) Specification, May 2, 1996, pp. 62-63.

Media Daily, Microsoft, Visa Announce Specification to Secure Payments, Sep. 27, 1995, p. 235.

Media Daily, Mastercard and Visa Agree on Online Security Standard, Feb. 1, 1996, p. 136.

Media Daily, Netscape Launches Payment System, May 13, 1996 p. 38.

Report on Microsoft, News Briefs: Visa and Mastercard, Apr. 22, 1996, p. 146.

Midrange Systems, GEIS Aims to Stimulate EDI Growth, Mar. 15, 1996, pp. 349-350.

Milwaukee Journal Sentinel, U.S. Postal Service to Enter Electronic Age, Mar. 4, 1996, pp. 379-380.

Multimedia & Videodisc Monitor, Tools & Technology: Mastercard, Visa Agree on Encryption Technology, Mar. 1, 1996, p. 422.

Multimedia Week, Industry Briefs: Encryption, Feb. 5, 1996, p. 39.

Nation's Restaurant News, Amex, Microsoft Seal Security Agreement. American Express Travel Related Services Co. Signs Licensing Agreement With Microsoft Corp.; Brief Article, Mar. 18, 1996, p. 328.

Nave Research Group, Navigating and Acting in Virtual Environments, May 16, 1996, pp. 1-9.

Network Briefing, Visa & Mastercard Agree E-Payment Sepc, Feb. 16, 1996, p. 525.

Network Computing, More Than One Way to Skin a Coded Cat, Mar. 15, 1996, p. 351.

Network World, Wells Fargo Hops Aboard 'Net Wagon, Feb. 6, 1995, pp. 301-302.

Network World, An Insecure Feeling Haunts the 'Net, Feb. 12, 1996, pp. 541-542.

Network World, Wal-Mart to Lure Electronic Shoppers With Web Retail Store, Feb. 19, 1996, pp. 504-505.

Network World, News Briefs, Mar. 4, 1996, pp. 377-378.

Network World, Security Specification Is Full of Holes, Critics Charge, Apr. 22, 1996, pp. 138-139.

Network World, ActiveX Pioneer Pushes Commerce, May 6, 1996, pp. 46-47.

Network World, Ready, SET, Go; American Express, MasterCard, and Visa Throw Their Combined Weight Behind the SET Payment Protocol for the Web; Merchants May Face a Learning Curve, May 13, 1996, pp. 18-23.

Network World, Effort Aims to Unite 'Net Payment Schemes, May 13, 1996, p. 24.

Network World, Netscape Unveils New 'Net Commerce Offerings, May 13, 1996, pp. 25-26.

News, Credit Card Fraud New Concern of Internet Business, Mar. 16, 1996, pp. 329-330.

Newsbytes News Network, France--Bull Forms Smart Card Subsidiary Apr. 13, 1995, pp. 274-275.

Newsbytes News Network, Open Market Intros "Secure" Web Storefront Oct. 17, 1995, pp. 206-207.

Newsbytes News Network, Newsbytes Daily Summary Oct. 17, 1995, pp. 208-213.

Newsbytes News Network, Commerce Direct Offers Secure Electronic Transactions Jan. 22, 1996, pp. 177-178.

Newsbytes News Network, ****Visa, Mastercard Combine Internet Security Standards Feb. 2, 1996, pp. 71-72.

Newsbytes News Network, GTE's CyberTrust For Web Electronic Commerce Feb. 6, 1996, pp. 20-21.

Newsbytes News Network, AT&T WorldNet Spurs Online Credit Use Feb. 6, 1996, pp. 22-23.

Newsbytes News Network, Open Market, Interleaf Team On Web "Secure Doc Mgt" Mar. 5, 1996, pp. 367-369.

Newsbytes, Web Marketplace--Online Security Agreement Almost Here Apr. 10, 1996, pp. 224-225.

News Tribune, Business Briefly, Feb. 2, 1996, pp. 69-70.

New York Times, A New Standard is Proposed for Electronic Verification, Jun. 26, 1996, pp. 257-258.

New York Times, Plan to Guard Credit Safety on Internet, Feb. 1, 1996, pp. 142-143.

New York Times, Jan. 28 -Feb. 3; Attention, Cyber-Shoppers!, Feb. 4, 1996, p. 40.

New York Times, Diary, Feb. 4, 1996, pp. 41-43.

Nightly Business Report, Feb. 1, 1996, pp. 144-154.

Nightly Business Report, Feb. 1, 1996, pp. 150-154.

Orange County Register, Life on the Line; Credit Where Credit is Due, Mar. 31, 1996, pp. 283-284.

Orange County Register, Bits and Pieces, Apr. 7, 1996, pp. 226-227.

PC Magazine, MasterCard and Visa Join Forces for Net Commerce; To Develop the Secure Electronic Transactions Technical Standard for Protecting Credit Card Purchases Made Over the Internet; Technology Information; Brief Article, mar. 26, 1996, pp. 291-292.

PC Magazine, Skinny Client to Rule on Web; Corporate Intranets Will Fuel a New Breed of Applications; Industry Trend or Event; Brief Article, Mar. 26, 1996, pp. 293-294.

PC Magazine, MasterCard and Visa Join Forces for Net Commerce, Mar. 26, 1996, pp. 295-296.

PC Magazine, Skinny Clients to Rule on Web, Mar. 26, 1996, pp. 297-298.

PC Magazine, Digital Bucks? Stop Here; Electronic Commerce Services; The Web at War: The Battle for the Future of the Internet; Company Business and Marketing, May 28, 1996, pp. 2-5.

PC Magazine, Digital Bucks? Stop Here, May 28, 1996, pp. 6-9.

PC User, Shortlist; News Briefs, Feb. 21, 1996, pp. 497-499.

PC Week, Briefly Noted; News Briefs; Brief Article, Feb. 5, 1996, pp. 37-38.

PC Week, AT&T Ramps Up Internet Commerce, Access to WorldNet Service; Company Business and Marketing; Brief Article, Feb. 19, 1996, p. 517.

PC Week, Big Player; Deals to Speed Net Commerce; Netscape, Oracle, HP Cut Agreements for Credit-Card Systems, Security; Industry Trend or Event, Feb. 26, 1996, pp. 483-484.

PC Week, Microsoft Reposition MSN; Microsoft Network to Offer New Services; Online Service Information; Brief Article, Feb. 26, 1996, pp. 485-486.

PC Week, Microsoft Reposition MSN, Feb. 26, 1996, pp. 487-488.

PC Week, Briefly Noted; News Brief; Brief Article, Mar. 4, 1996, p. 381.

PC Week, New Security Protocol Spurs Internet Took Kits; Secure Electronic Transaction, Industry Trend or Event, Apr. 15, 1996, pp. 217-218.

PC Week, New Security Protocol Spurs Internet Took Kits, Apr. 15, 1996, pp. 219-220.

PC Week, IBM Takes Charge of E-Commerce: Plans Client, Server Apps Based on SET; NetCommerce Electronic Commerce System; Product Announcement, Apr. 29, 1996, pp. 118-119.

PC Week, IBM Takes Charge of E-Commerce; Plans Client, Servers Apps Based on SET, Apr. 29, 1996, pp. 120-121.

Portland Press Herald, L.L. Bean to Offer Ordering By Internet; It's a Bold Move for a Firm That's Usually Slow to Adopt New Technology, May 2, 1996, pp. 56-58.

PR Newswire, Bank One Joins Commercenet, Oct. 17, 1994, pp. 314-315.

PR Newswire, Rudolph Beware MCI to Offer Cyber-Santas a Faster Route to the Mall Via Mouse; MarketplaceMCI Opens Door to 25 Million New Customers; Integrated Software Package Assures Secure Electronic Transactions, Nov. 22, 1996, pp. 308-309.

PR Newswire, Microsoft Corp. Chooses Software.Net (TM) to be First to Electronically Deliver Microsoft Software; Software.Net to Electronically Market Over Microsoft Products Via the Internet, Oct. 17, 1995, pp. 227-228.

PR Newswire, Visa and MasterCard Combine Security Specifications for Card Transactions on the Internet into One Standard; Move Expected to Accelerate Development of Electronic Commerce and Bolster Consumer Confidence in the Security of Cyberspace Transactions, Feb. 1, 1996, pp. 155-156.

PR Newswire, SAIC is EYourservice for Secure Electronic Transactions on the Internet, Feb. 29, 1996, pp. 436-437.

PR Newswire, American Express Signs Licensing Agreement With Microsoft to Make

Secure Purchases Over the Internet, Feb. 29, 1996, pp. 438-439.

PR Newswire, Visa and Mastercard Welcome American Express, Feb. 29, 1996, pp. 440-441.

PR Newswire, Centura Announces the Next Step in Online Money Management, Apr. 15, 1996, pp. 221-222.

PR Newswire, Industry Security Leader Racial Supports Visa/Mastercard Proposal for Internet, Apr. 17, 1996, pp. 152-153.

PR Newswire, Spyglass (TM) Supports Microsoft's ACTIVEX, SET, PCT and ISAPI With Introduction of New Spyglass Web Technology Kits, Apr. 23, 1996, pp. 132-133.

PR Newswire, Cybersource's New Internet Commerce Services Provide Software Publishers Turn-Key Electronic Transaction and Distribution Services; Qualcomm, Insignia, Wall Data and Seven Other Publishers Choose CyberSource to Distribute Products Via the Internet, Apr. 30, 1996, pp. 99-101.

PR Newswire, 1996 Olympic Games Web Site Proves a Successful as Venure for Olympic Ticket Sales; IBM-Developed Server Enables Secure Electronic Transactions for a Large Number of Consumers, May 1, 1996, pp. 83-84.

PR Newswire, Dynamic Duo Taxware and IBM; Partners on the Commerce.Net, May 1, 1996, pp. 85-86.

PR Newswire, DocuMagix Hotpage Available Now Online Via Software. Net; Software.Net Offers DocuMagix HotPage with Exclusive Custom Content, May 7, 1996, pp. 44-45.

PR Newswire, Netscape Announces Netscape Livepayment (TM) to Facilitate Internet Commerce; Leading Companies to Support Netscape's Open, Cross-Platform Software for Online Credit Card Processing, May 13, 1996, pp. 39-41.

Record, Security is Going on Line; Mastercard, Visa Agree on Standard, Feb. 2, 1996, pp. 73-75.

Reuters, Says Joins Commercenet, Oct. 17, 1994, p. 316.

Reuters, MasterCard, Visa to Set Electronic Standard NYT, Feb. 1, 1996, p. 160.

Reuters, Visa and Mastercard Adopt Joint Internet Standard, Feb. 1, 1996, pp. 164-165.

Reuters, Info Services Debuts net Commerce System, Feb. 6, 1996, pp. 24-25.

Reuters, In Pact, Feb. 29, 1996, p. 442.

Reuters, Offers Secure Internet Collection, May, 13, 1996, p. 42.

Reuter Business Report, American Online, Others Push for Net Security, Apr. 11, 1995, pp. 276-277.

Reuter Business Report, Visa and Mastercard Adopt Joint Internet Standard, Feb. 1, 1996, pp. 158-159.

Reuter Business Report, Mastercard, Visa to Set Electronic Standard NYT, Feb. 1, 1996, p. 157.

Reuter Business Report, Improving Internet Safety to Protect Commerce, Apr. 3, 1996, pp. 232-234.

Reuter European Business Report, American Online, Other Push for Net Security, Apr. 11, 1995, pp. 278-279.

Reuter European Business Report, Mastercard, Visa to Set Electronic Standard --NYT, Feb. 1, 1996, p. 161.

Reuter European Business Report, Visa and Mastercard Adopt Joint Internet Standard, Feb. 1, 1996, pp. 162-163.

Reuters World Service, MasterCard, Visa to Set Electronic Standard--NYT, Feb. 1, 1996, p. 169.

Risk Managaement, Are You Exposed on the Internet? Security Issues and Data Protection; Circuit Breakers, Apr. 1996, pp. 252-254.

Rocky Mountain News, Visa, MasterCard Agree on 'Net Security; Deal Allows to Offer Customers Greater Protection in On Line Services, Feb. 2, 1996, pp. 76-77.

Rocky Mountain News, The Web: It's Anybody's Business; Colorado Retailers and Service Companies Caught Up in Awesome Potential of Internet, mar. 24, 1996, pp. 305-310.

Sacramento Bee, Credit Card Standard Set for Net, Feb. 23, 1996, pp. 78-79.

The San Diego Union-Tribune, Business: Ed. 1,2,3,4,5,6,7,8; p. C-2, Mar. 1, 1996, pp. 423-424.

The San Francisco Chronicle, Mastercard, Visa Accord on Internet Credit-Card Giants Agree on a Security Standard, Feb. 1, 1996, pp. 137-138.

The San Francisco Examiner, Credit-Card Companies OK Internet Security Deal, Feb. 1, 1996, pp. 166-167.

The San Francisco Examiner, Infobahn leads to a Volvo Dealer, Mar. 1, 1996, pp. 297-298.

Seybold Report on Desktop Punlicshjing, Visa MasterCard Adopt SET, Feb. 19, 1996, pp. 518-519.

South China Morning Post, Business; Banking; p. 7 Mar. 30, 1995, pp. 286-287.

Standard & Poor's Emerging & Special Situation, New Issues--Cybercash Avoid, Feb. 20, 1996, pp. 502-503.

The Straits Times (Singapore), Larger NetworkAsia Show This Year, Apr. 25, 1995, pp. 272-273.

The Straits Times (Singapore), Credit Card Firms Devise Joint Net Payment Scheme, Feb. 2, 1996, p. 81.

The Straits Times (Singapore), Music Scene Alive and Thriving Since the '30s, Feb. 6, 1996, pp. 26-27.

The Straits Times (Singapore), Concern Grow Over Credit Card Debts, Mar. 24, 1996, pp. 311-314.

Sunday Times, Credit Card Set Standard for Net Buys, Feb. 4, 1996, p. 44.

Telecomworldwire, Global Players Unite on Payment Standards, Feb. 1, 1996, p. 168.

Telecomworldwire, Sidewire, Science Applications International Corp, A US Provider of Information and Network, Mar. 1, 1996, p. 425.

Telecomworldwire, Adobe, Netscape Form Major Commercial Internet Publishing Plan, Apr. 4, 1995, p. 280.

The Toronto Star, Firm Unveils Secure Net Paying System, Mar. 27, 1996, pp. 287-288.

Origin Universal New Service Limited, Racial Supports the Visa/Mastercard Secure Electronics Transactions (SET), May 1, 1996, pp. 87-88.

Upside, The Cyber Bowl, Apr. 1996, pp. 255-266.

Upside, The Key to Security, Apr. 1996, pp. 267-276.

Upside, End of the Line for On-Line Services?, May 1996, pp. 89-98.

U.S. Banker, Card Pact Weaves A Tighter Net, Mar. 1996, p. 426.

Wall Street Journal, Visa, Mastercard Reach on Agreement for Single System of Internet Payment, Feb. 1, 1996, p. 170.

The Washington Post, Feb. 2, 1996, pp. 83-84.

The Washington Post, Give Us Some Credit: Your Card is Safe; There Are Many Very Good Reasons Not to Shop On-Line. Fear That Your Credit Card Number Will Be Abused Should Not Be One of Them, Apr. 24, 1996.

The Washington Post, Who Was That Masked Cybershopper?; MasterCard-Visa Agreement on Credit Card Security May Make On-Line Commerce Fly, Feb. 2, 1996, p. 82.

Working Woman, Adventure On-Line . . . ; Using Online Services to Make Travel Arrangements, Apr. 1996, pp. 277-282.

Your Money, Brokers Not Equal When It Comes to Charging Customers, Mar. 16, 1996, pp. 331-337.

Your Money, Credit Card Fraud New Concern of Internet Business, Mar. 16, 1996, pp. 338-339.

Bornestein ety al., MIME (Multipurpose Internet Mail Extensions) Part One: Mechanisms for Specifying and Describing the Format of Internet Message Bodies, Borenstein & Freed, Sep. 1993.

Fielding et al., Hypertext Transfer Protocol--HTTP/1.1, Fielding, Frystyk, Berners-Lee, Geys and Mogul, May 2, 1996.

Fielding et al., Hypertext Transfer Protocol--HTTP/1.1, Fielding, Frystyk, Berners-Lee, Gettys and Mogul, Jun. 3, 1996.

An RSA Laboratories Technical Note, Version 1.5, Revised Nov. 1, 1993.

Internet Protocol, DARPA Internet Program Protocol Specification, University of Southern California, Sep. 1981.

Transmission Control Protocol, DARPA Internet Program Protocol Specification, University of Southern California, Sep. 1981.

PRIMARY-EXAMINER: Peeso; Thomas R.

ATTY-AGENT-FIRM: Gardere & Wynne, L.L.P. Warren, Jr.; Sanford E. Chalker; Daniel J.

ABSTRACT:

An architecture is disclosed allowing a server to communicate bidirectionally with a gateway over a first communication link, over which service requests are initiated by the server. In response to a transaction received from a host legacy system at the gateway, the gateway parses one or more transaction response values from the host message, maps the one or more transaction response values to a canonical response code, and stores the canonical response code in a transaction log. According to a broad aspect of a preferred embodiment of the invention, communication networks that employ transactions between applications must effectively manage transactions that flow over the network. In addition, networking systems must also detect counterfeit transactions, especially, when the networking systems are utilized for financial transactions. An active, on-line database is utilized as a transaction log to track original requests, valid retries and detect fraudulent transactions. The transaction log serves as a memory cache where the received host response is returned to a valid retry transaction should the original response fail to reach a server because of a communications problem.

25 Claims, 106 Drawing figures